

Curiosity rover makes first use of its brush

January 8 2013, by Guy Webster



This image from the Mars Hand Lens Imager (MAHLI) on NASA's Mars rover Curiosity shows the patch of rock cleaned by the first use of the rover's Dust Removal Tool (DRT). Credit: NASA/JPL-Caltech/MSSS

(Phys.org)—NASA's Mars rover Curiosity has completed first-time use of a brush it carries to sweep dust off rocks.

Nearing the end of a series of first-time uses of the rover's tools, the

mission has cleared dust away from a targeted patch on a flat [Martian rock](#) using the Dust Removal Tool.

The tool is a motorized, wire-bristle brush designed to prepare selected rock surfaces for enhanced inspection by the rover's [science instruments](#). It is built into the turret at the end of the rover's arm. In particular, the [Alpha Particle](#) X-ray Spectrometer and the Mars Hand Lens Imager, which share the turret with the brush and the rover's hammering drill, can gain information after dust removal that would not be accessible from a dust-blanketed rock.



This image from the Mars Hand Lens Imager (MAHLI) on NASA's Mars rover Curiosity shows details of rock texture and color in an area where the rover's Dust Removal Tool (DRT) brushed away dust that was on the rock. This rock target, "Ekwir_1" was brushed and this image was recorded on the same Martian day, or sol, Sol 150 of Curiosity's mission on Mars (Jan. 6, 2013.) Credit:

NASA/JPL-Caltech/MSSS

Choosing an appropriate target was crucial for the first-time use of the Dust Removal Tool. The chosen target, called "Ekwir_1," is on a rock in the "Yellowknife Bay" area of Mars' Gale Crater. The rover team is also evaluating rocks in that area as potential targets for first use of the rover's hammering drill in coming weeks.

"We wanted to be sure we had an optimal target for the first use," said Diana Trujillo of NASA's Jet Propulsion Laboratory, Pasadena, Calif., the mission's activity lead for the Dust Removal Tool. "We need to place the instrument within less than half an inch of the target without putting the hardware at risk. We needed a flat [target](#), one that wasn't rough, one that was covered with dust. The results certainly look good."

Honeybee Robotics, New York, N.Y., built the Dust Removal Tool for Curiosity, as well as tools for two previous Mars rovers, Spirit and Opportunity, which included wire brushes plus rock-grinding mechanisms.

NASA's [Mars Science](#) Laboratory project is using Curiosity to investigate whether the study area within Gale Crater has offered environmental conditions favorable for [microbial life](#).

More information: Images of the brushed area on Ekwir are online at photojournal.jpl.nasa.gov/catalog/PIA16565

Provided by JPL/NASA

Citation: Curiosity rover makes first use of its brush (2013, January 8) retrieved 10 April 2024 from <https://phys.org/news/2013-01-curiosity-rover.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.