

Best evidence yet that dinosaurs used feathers for courtship

January 4 2013

A University of Alberta researcher's examination of fossilized dinosaur tail bones has led to a breakthrough finding: some feathered dinosaurs used tail plumage to attract mates, much like modern-day peacocks and turkeys.

U of A Paleontology researcher Scott Persons followed a chain of [fossil](#) evidence that started with a peculiar fusing together of vertebrae at the tip of the tail of four different species of dinosaurs, some separated in time and evolution by 45 million years.

Persons says the final vertebrae in the tails of a group of dinosaurs called oviraptors were fused together forming a ridged, blade-like structure. "The structure is called a pygostyle" says Persons. "Among modern animals only birds have them."

Researchers say fossils of *Similicaudiptery*, an early oviraptor, reveals feathers radiating from the fused bones at the tail tip. *Similicaudiptery* was not known to be a flying dinosaur and Persons contends its [tail feathers](#) evolved as a means of waving its feathered tail fans.

No direct [fossil evidence](#) of feathers has been found with the fossils of the oviraptors that followed *Similicaudiptery*, but Persons says there is still strong evidence they had a feathered tail.

Persons reasons that because the later oviraptor had the same tail structure as the feathered *Similicaudipteryx*, the tails of later oviraptors'

still served the same purpose, waving feathered tail fans.

Persons says the hypothesis of oviraptor tail waving is supported by both the bone and [muscle structure](#) of the tail.

Individual vertebrae at the base of an oviraptor's tail were short and numerous, indicating great flexibility. Based on dissections of modern reptile and bird tails, Persons reconstruction of the dinosaur's tail muscles revealed oviraptors had what it took to really shake their tail feathers.

Large muscles extended far down the tail and had a sufficient number of broad connection points to the [vertebrae](#) to propel oviraptor's tail feathers vigorously from side to side and up and down.

Oviraptors were two-legged dinosaurs that had already gone through major diversifications from the iconic, meat eating dinosaur family. Oviraptors were plant eaters that roamed parts of China, Mongolia, and Alberta during the Cretaceous period, the final age of the dinosaur.

"By this time a variety of dinosaurs used feathers for flight and insulation from the cold," said Persons. "This shows that by the Late Cretaceous dinosaurs were doing everything with feathers that modern birds do now," said Persons.

In addition to feathered-tail waving, oviraptors also had prominent bone crests on their head, which Persons says the dinosaur also may have used in mating displays.

"Between the crested head and feathered-tail shaking, oviraptors had a propensity for visual exhibitionism," said Persons.

More information: Persons, a University of Alberta PhD candidate in

paleontology was the lead researcher on the paper which was published Jan. 4 in the international journal *Acta Palaeontologica Polonica*.

Provided by University of Alberta

Citation: Best evidence yet that dinosaurs used feathers for courtship (2013, January 4) retrieved 19 April 2024 from <https://phys.org/news/2013-01-evidence-dinosaurs-feathers-courtship.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--