

Just add water: How scientists are using silicon to produce hydrogen on demand

January 22 2013, by Charlotte Hsu



This is a close-up of spherical silicon nanoparticles about 10 nanometers in diameter. In *Nano Letters*, UB scientists report that these particles could form the basis of new technologies that generate hydrogen for portable power applications. Credit: Swihart Research Group, University at Buffalo



(Phys.org)—Super-small particles of silicon react with water to produce hydrogen almost instantaneously, according to University at Buffalo researchers.

In a series of experiments, the scientists created spherical <u>silicon</u> <u>particles</u> about 10 <u>nanometers</u> in diameter. When combined with water, these particles reacted to form silicic acid (a nontoxic <u>byproduct</u>) and <u>hydrogen</u>—a potential source of energy for fuel cells.

The reaction didn't require any light, heat or electricity, and also created hydrogen about 150 times faster than similar reactions using silicon particles 100 nanometers wide, and 1,000 times faster than bulk silicon, according to the study.

The findings appeared online in <u>Nano Letters</u> on Jan. 14. The scientists were able to verify that the hydrogen they made was relatively pure by testing it successfully in a small fuel cell that powered a fan.

"When it comes to <u>splitting water</u> to produce hydrogen, nanosized silicon may be better than more obvious choices that people have studied for a while, such as aluminum," said researcher Mark T. Swihart, UB professor of chemical and <u>biological engineering</u> and director of the university's Strategic Strength in Integrated Nanostructured Systems.





Credit: Swihart Research Group, University at Buffalo

"With further development, this technology could form the basis of a 'just add water' approach to generating hydrogen on demand," said researcher Paras Prasad, executive director of UB's Institute for Lasers, Photonics and <u>Biophotonics</u> (ILPB) and a SUNY Distinguished Professor in UB's Departments of Chemistry, Physics, Electrical Engineering and Medicine. "The most practical application would be for portable energy sources."



Swihart and Prasad led the study, which was completed by UB scientists, some of whom have affiliations with Nanjing University in China or Korea University in South Korea. Folarin Erogbogbo, a research assistant professor in UB's ILPB and a UB PhD graduate, was first author.

The speed at which the 10-nanometer particles reacted with water surprised the researchers. In under a minute, these particles yielded more hydrogen than the 100-nanometer particles yielded in about 45 minutes. The maximum reaction rate for the 10-nanometer particles was about 150 times as fast.





This transmission electron microscopy image shows spherical silicon nanoparticles about 10 nanometers in diameter. These particles, created in a UB lab, react with water to quickly produce hydrogen, according to new UB research. Additional images of the particles are available at http://www.buffalo.edu/news/releases/2013/01/017.html. Credit: Swihart Research Group, University at Buffalo

Swihart said the discrepancy is due to geometry. As they react, the larger particles form nonspherical structures whose surfaces react with water less readily and less uniformly than the surfaces of the smaller, spherical particles, he said.

Though it takes significant energy and resources to produce the supersmall silicon balls, the <u>particles</u> could help power portable devices in situations where water is available and portability is more important than low cost. Military operations and camping trips are two examples of such scenarios.

"It was previously unknown that we could generate hydrogen this rapidly from silicon, one of Earth's most abundant elements," Erogbogbo said. "Safe storage of hydrogen has been a difficult problem even though hydrogen is an excellent candidate for alternative energy, and one of the practical applications of our work would be supplying hydrogen for fuel cell power. It could be military vehicles or other portable applications that are near water."

"Perhaps instead of taking a gasoline or diesel generator and fuel tanks or large battery packs with me to the campsite (civilian or military) where water is available, I take a hydrogen <u>fuel cell</u> (much smaller and lighter than the generator) and some plastic cartridges of silicon



nanopowder mixed with an activator," Swihart said, envisioning future applications. "Then I can power my satellite radio and telephone, GPS, laptop, lighting, etc. If I time things right, I might even be able to use excess heat generated from the reaction to warm up some <u>water</u> and make tea."

More information: pubs.acs.org/doi/abs/10.1021/nl304680w

Provided by University at Buffalo

Citation: Just add water: How scientists are using silicon to produce hydrogen on demand (2013, January 22) retrieved 5 July 2024 from <u>https://phys.org/news/2013-01-scientists-silicon-hydrogen-demand.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.