

Treating stable flies in pastures

January 2 2013, by Sandra Avant



ARS researchers have developed several new ways including catnip oil to control stable flies, the most damaging arthropod pests of cattle in the United States.

U.S. Department of Agriculture (USDA) scientists are developing strategies to help livestock producers control stable flies, the most damaging arthropod pests of cattle in the United States.

An economic impact assessment by scientists at the Agricultural Research Service (ARS) Agroecosystem Management Research Unit (AMRU) in Lincoln, Neb., looked at four sectors of cattle production: dairy, cow/calf, pastured and range stocker, and animals on feed. They found that stable flies cost the U.S. cattle industry more than \$2.4 billion each year, due to reduced milk production in [dairy cows](#), decreased weight gain in [beef cattle](#), and lowered feed efficiency.

Stable flies are not only a problem in barnyards and stables for which they are named, but in pastures as well. AMRU entomologist David

Taylor and his colleagues showed that this is partly due to the use of large bales of hay placed in fields as supplemental feed for cattle during winter. These feeding sites where wasted hay, manure and urine accumulate produce an ideal habitat for stable flies.

To find an easy, inexpensive, quick way to control stable flies, Taylor tested cyromazine, an insect growth regulator that interferes with molting and proper development of an insect's [external skeleton](#). A single application of cyromazine sprinkled on a hay-feeding site reduced the number of emerging adult stable flies by 97 percent. The treatment took 10 minutes, cost \$10 per site and was effective for 10 to 20 weeks.

Other potential methods for controlling stable flies include what AMRU entomologist Jerry Zhu calls a "push and pull" strategy. The "push" requires using a repellent to drive flies away from livestock. Treatments contain effective plant-based repellent chemicals like catnip that are low in toxicity. The "pull" involves developing natural attractants or substances associated with the flies' environment to lure and trap them.

So far, Zhu and his team have developed several [catnip oil](#) formulations to reduce stable fly field populations. In collaboration with Microtek Laboratories, Inc., of Dayton, Ohio, the researchers are testing a new granular catnip product that prevents stable flies from laying eggs.

More information: Read more about this research in the January 2013 issue of Agricultural Research magazine.

www.ars.usda.gov/is/AR/archive/jan13/flies0113.htm

Provided by United States Department of Agriculture

Citation: Treating stable flies in pastures (2013, January 2) retrieved 8 September 2024 from

<https://phys.org/news/2013-01-stable-flies-pastures.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.