

Tapeworm eggs discovered in 270 million year old fossil shark feces

January 30 2013

A cluster of tapeworm eggs discovered in 270-million-year-old fossilized shark feces suggests that intestinal parasites in vertebrates are much older than previously known, according to research published January 30 in the open access journal *PLOS ONE* by Paula Dentzien-Dias and colleagues from the Federal University of Rio Grande, Brazil.

Remains of such parasites in vertebrates from this era are rare- of 500 samples examined, only one revealed the tapeworm eggs.

This particular discovery helps establish a timeline for the evolution of present-day parasitic tapeworms that occur in foods like pork, fish and beef.

The fossilized eggs were found in a cluster very similar to those laid by modern tapeworms. Some of them are un-hatched and one contains what appears to be a developing larva.

According to the study, "This discovery shows that the fossil record of vertebrate <u>intestinal parasites</u> is much older than was previously known and occurred at least 270-300 million years ago."

The fossil described in this study is from Middle-Late Permian times, a period followed by the largest mass extinction known, when nearly 90% of marine species and 70% of <u>terrestrial species</u> died out.

More information: Dentzien-Dias PC, Poinar G Jr, de Figueiredo



AEQ, Pacheco ACL, Horn BLD, et al. (2013) Tapeworm Eggs in a 270 Million-Year-Old Shark Coprolite. PLoS ONE 8(1): e55007. <u>doi:10.1371/journal.pone.0055007</u>

Provided by Public Library of Science

Citation: Tapeworm eggs discovered in 270 million year old fossil shark feces (2013, January 30) retrieved 16 June 2024 from <u>https://phys.org/news/2013-01-tapeworm-eggs-million-year-fossil.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.