


Combining quantum information communication and storage

February 14 2013



This shows a merger of three quantum systems: a superconducting quantum qubit, or, qubit (spheres) interacting with two different resonant cavities. A low frequency phonon cavity (vibrating string) was used as storage of quantum information from the qubit, whereas an electrical microwave cavity (represented by the mirrors) acted as a means of communicating to the outside world. The idea could be used as a building block in the emerging field of quantum information and communication. Credit: Juha Juvonen

(Phys.org)—Aalto University researchers in Finland have successfully connected a superconducting quantum bit, or qubit, with a micrometer-sized drum head. Thus they transferred information from the qubit to the resonator and back again.

- This work represents the first step towards creating exotic mechanical quantum states. For example, the transfer makes it possible to create a state in which the resonator simultaneously vibrates and doesn't vibrate, says professor Mika Sillanpää from Aalto University, who runs the research group.

A qubit is the quantum-mechanical equivalent of the bits we know from computers. A traditional bit can be in a state of 0 or 1, while a qubit can be in both states at the same time. In theory, this inconceivable situation allows for a [quantum calculation](#) in which the operations are performed simultaneously for all possible numbers. In the case of a single qubit, this means zero and one, but as the number of qubits increases, the amount of possible numbers and simultaneous calculations grows exponentially. The [quantum state](#) of a qubit is very fragile and easily disturbed between and during the operations. The key to successful quantum calculation is being able to protect the qubit state from disturbances in the environment.

- In this case, the qubit state can be stored as vibration, thus preserving the state for much longer than the qubit itself. The resonator also functions as a mechanical [quantum memory](#), which is something that an ordinary memory can't do, explains Juha Pirkkalainen from Aalto University, who is doing his dissertation on the topic.

The work combines the achievements of two Nobel

Prize winners

The work combined the achievements of both winners of this year's Nobel Prize for Physics. The qubit state was measured using a superconducting cavity in the same way that Serge Haroche measured atoms, and the [qubit](#) state was also linked to mechanical movement as in David Wineland's experiments. In contrast to these larger-scale measurement arrangements, the experiment at the O.V. Lounasmaa Laboratory was prepared for a tiny silicon microchip. This made it possible to cool the sample to near absolute zero temperatures and then use microwaves.

More information: [www.nature.com/nature/journal/...
ull/nature11821.html](http://www.nature.com/nature/journal/full/nature11821.html)

Provided by Aalto University

Citation: Combining quantum information communication and storage (2013, February 14)
retrieved 10 April 2024 from <https://phys.org/news/2013-02-combining-quantum-storage.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--