


# Engineers show feasibility of superfast materials

February 13 2013

---



Credit: Zhengfei Wang and Feng Liu, University of Utah

(Phys.org)—University of Utah engineers demonstrated it is feasible to build the first organic materials that conduct electricity on their edges, but act as an insulator inside. These materials, called organic topological insulators, could shuttle information at the speed of light in quantum computers and other high-speed electronic devices.

The study published this week in the journal *Nature Communications* will help pioneer a new field of research in materials science, in the same

way organic materials lowered the cost and eased production of light-emitting diodes and [solar cells](#), says senior author Feng Liu, professor and chair of materials science and engineering.

"This is the first demonstration of the existence of topological insulators based on organic materials," says Liu. "Our findings will broaden the scope and impact of these materials in various applications from [spintronics](#) to [quantum computing](#)."

While other researchers still must synthesize the new organic topological insulators, Liu says his team's previous work "shows we can engineer an interface between two different thin films to create topological insulators," in which electrons known as Dirac fermions move along the interface between two films, Liu adds.

Liu and his co-workers at the University of Utah's College of Engineering performed [theoretical calculations](#) to predict the existence of an organic topological [insulator](#) using molecules with carbon-[carbon bonds](#) and carbon-metal bonds, called an organometallic compound. For this new study, the team investigated how Dirac fermions move along the edges of this compound, which looks like a sheet of chicken wire.

To generate a topological insulator, scientists have to design materials that can transmit fermions. In a topological insulator, fermions behave like a massless or weightless packet of light, conducting electricity as they move very fast along a material's surface or edges. When these fermions venture inside the material, however, this "weightless" conductivity screeches to a halt.

What's more, Dirac fermions have a property called spin, or angular momentum around the particle's axis that behaves like a magnetic pole. This property gives scientists another way to place information into a particle because the spin can be switched "up" or "down." Such a

mechanism could be useful for spin-based electronic devices, called spintronics, which can store information both in the charge and the spin of electrons.

"We have demonstrated a system with a special type of electron – a Dirac fermion – in which the spin motion can be manipulated to transmit information," Liu says. "This is advantageous over traditional electronics because it's faster and you don't have to worry about heat dissipation."

Earlier this year, Liu and his team discovered a "reversible" topological insulator in a system of bismuth-based compounds in which the behavior of ordinary or Dirac fermions could be controlled at the interface between two [thin films](#). Bismuth is a metal best known as an ingredient of Pepto-Bismol. These theoretical predictions were confirmed experimentally by co-authors from Shanghai Jiaotong University in China.

Although inorganic topological insulators based on different materials have been studied for the last decade, organic or molecular topological insulators have not.

Liu conducted the study with Zhengfei Wang and Zheng Liu, both postdoctoral fellows in materials science and engineering at the University of Utah. The study was funded primarily by the U.S. Department of Energy and the Army Research Laboratory.

Provided by University of Utah

Citation: Engineers show feasibility of superfast materials (2013, February 13) retrieved 26 April 2024 from <https://phys.org/news/2013-02-feasibility-superfast-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.