


## Forget about leprechauns, engineers are catching rainbows

February 15 2013



University at Buffalo engineers have created a more efficient way to catch rainbows, an advancement in photonics that could lead to technological breakthroughs in solar energy, stealth technology and other areas of research. Credit: University at Buffalo

(Phys.org)—University at Buffalo engineers have created a more efficient way to catch rainbows, an advancement in photonics that could



lead to technological breakthroughs in solar energy, stealth technology and other areas of research.

Qiaoqiang Gan, PhD, an assistant professor of electrical engineering at UB, and a team of graduate students described their work in a paper called "Rainbow Trapping in Hyperbolic Metamaterial Waveguide," published Feb. 13 in the online journal *Scientific Reports*.

They developed a "hyperbolic metamaterial waveguide," which is essentially an advanced microchip made of alternate ultra-<u>thin films</u> of metal and semiconductors and/or insulators. The waveguide halts and ultimately absorbs each frequency of <u>light</u>, at slightly different places in a vertical direction, to catch a "rainbow" of wavelengths.

Gan is a researcher within UB's new Center of Excellence in Materials Informatics.

"Electromagnetic absorbers have been studied for many years, especially for military <u>radar systems</u>," Gan said. "Right now, researchers are developing compact light absorbers based on optically thick semiconductors or carbon nanotubes. However, it is still challenging to realize the perfect absorber in ultra-thin films with tunable <u>absorption</u> <u>band</u>.

"We are developing ultra-thin films that will slow the light and therefore allow much more efficient absorption, which will address the long existing challenge."

Light is made of photons that, because they move extremely fast (i.e., at the <u>speed of light</u>), are difficult to tame. In their initial attempts to slow light, researchers relied upon cryogenic gases. But because cryogenic gases are very cold – roughly 240 degrees below zero Fahrenheit – they are difficult to work with outside a laboratory.



Before joining UB, Gan helped pioneer a way to slow light without cryogenic gases. He and other researchers at Lehigh University made nano-scale-sized grooves in metallic surfaces at different depths, a process that altered the optical properties of the metal. While the grooves worked, they had limitations.

For example, the energy of the incident light cannot be transferred onto the metal surface efficiently, which hampered its use for practical applications, Gan said.

The hyperbolic metamaterial waveguide solves that problem because it is a large area of patterned film that can collect the incident light efficiently. It is referred to as an artificial medium with subwavelength features whose frequency surface is hyperboloid, which allows it to capture a wide range of wavelengths in different frequencies including visible, near-infrared, mid-infrared, terahertz and microwaves.

It could lead to advancements in an array of fields.

For example, in electronics there is a phenomenon known as crosstalk, in which a signal transmitted on one circuit or channel creates an undesired effect in another circuit or channel. The on-chip absorber could potentially prevent this.

The on-chip absorber may also be applied to solar panels and other energy-harvesting devices. It could be especially useful in mid-infrared spectral regions as thermal absorber for devices that recycle heat after sundown, Gan said.

Technology such as the Stealth bomber involves materials that make planes, ships and other devices invisible to radar, infrared, sonar and other detection methods. Because the on-chip absorber has the potential to absorb different wavelengths at a multitude of frequencies, it could be



useful as a stealth coating material.

## Provided by University at Buffalo

Citation: Forget about leprechauns, engineers are catching rainbows (2013, February 15) retrieved 3 May 2024 from <u>https://phys.org/news/2013-02-leprechauns-rainbows.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.