


New material promises better solar cells

February 12 2013



Sunlight is converted into electrical current in a layered structure.


Researchers at the Vienna University of Technology show that a recently discovered class of materials can be used to create a new kind of solar cell.

Single [atomic layers](#) are combined to create novel materials with completely new properties. Layered oxide heterostructures are a new

class of materials, which has attracted a great deal of attention among materials scientists in the last few years. A research team at the Vienna University of Technology, together with colleagues from the USA and Germany, has now shown that these heterostructures can be used to create a new kind of extremely efficient ultra-thin [solar cells](#).

Discovering new material properties in computer simulations

"Single atomic layers of different oxides are stacked, creating a material with [electronic properties](#) which are vastly different from the properties the individual oxides have on their own", says Professor Karsten Held from the Institute for [Solid State Physics](#), Vienna University of Technology. In order to design [new materials](#) with exactly the right physical properties, the structures were studied in large-scale computer simulations. As a result of this research, the scientists at TU Vienna discovered that the oxide heterostructures hold great potential for building solar cells.



Elias Assmann (left) and Karsten Held (right) demonstrate the idea behind the new solar cell: Light is absorbed by a layered structure, free charge carriers are produced and electric current starts to flow.

Turning light into electricity

The basic idea behind solar cells is the [photoelectric effect](#). Its simplest version was already explained by Albert Einstein in 1905: when a photon is absorbed, it can cause an electron to leave its place and electric current starts to flow. When an electron is removed, a positively charged region stays behind – a so called "hole". Both the negatively charged electrons as well as the holes contribute to the electrical current.

"If these electrons and holes in the solar cell recombine instead of being transported away, nothing happens and the energy cannot be used", says

Elias Assmann, who carried out a major part of the computer simulations at TU Vienna. "The crucial advantage of the new material is that on a microscopic scale, there is an electric field inside the material, which separates electrons and holes." This increases the efficiency of the solar cell.

Two isolators make a metal

The oxides used to create the material are actually isolators. However, if two appropriate types of isolators are stacked, an astonishing effect can be observed: the surfaces of the material become metallic and conduct electrical current. "For us, this is very important. This effect allows us to conveniently extract the charge carriers and create an electrical circuit", says Karsten Held. Conventional solar cells made of silicon require metal wires on their surface to collect the charge carriers – but these wires block part of the light from entering the solar cell.

Not all photons are converted into [electrical current](#) with the same efficiency. For different colors of light, different materials work best. "The oxide heterostructures can be tuned by choosing exactly the right chemical elements", says Professor Blaha (TU Vienna). In the computer simulations, [oxides](#) containing Lanthanum and Vanadium were studied, because that way the materials operate especially well with the natural light of the sun. "It is even possible to combine different kinds of materials, so that different colors of light can be absorbed in different layers of the solar cell at maximum efficiency", says Elias Assmann.

Putting theory into practice

The team from TU Vienna was assisted by Satoshi Okamoto (Oak Ridge National Laboratory, Tennessee, USA) and Professor Giorgio Sangiovanni, a former employee of TU Vienna, who is now working at

Würzburg University, Germany. In Würzburg, the new solar cells will now be build and tested. "The production of these solar cells made of oxide layers is more complicated than making standard silicon solar cells. But wherever extremely high efficiency or minimum thickness is required, the new structures should be able to replace silicon cells", Karsten Held believes.

More information: physics.aps.org/synopsis-for/110.078701

Provided by Vienna University of Technology

Citation: New material promises better solar cells (2013, February 12) retrieved 30 April 2024 from <https://phys.org/news/2013-02-material-solar-cells.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--