


# Light from silicon nanocrystal LEDs

February 18 2013

---



Liquid-processed SiLEDs: By changing the size of the silicon nanocrystals, color of the light emitted can be varied. Credit: F. Maier-Flaig, KIT/LTI

(Phys.org)—Silicon nanocrystals have a size of a few nanometers and possess a high luminous potential. Scientists of KIT and the University of Toronto/Canada have now succeeded in manufacturing silicon-based light-emitting diodes (SiLEDs). They are free of heavy metals and can emit light in various colors. The team of chemists, materials researchers, nanoscientists, and opto-electronic experts presents its development in the *Nano Letters* journal.

Silicon dominates in microelectronics and photovoltaics industry, but has been considered unsuitable for light-emitting [diodes](#) for a long time. However, this is not true for nanoscopic dimensions: Minute silicon

nanocrystals can produce light. These nanocrystals consist of a few hundred to thousand atoms and have a considerable potential as highly efficient [light emitters](#), as was demonstrated by the team of Professor Uli Lemmer and Professor Annie K. Powell from KIT as well as Professor Geoffrey A. Ozin from the University of Toronto. In a joint project, the scientists have now succeeded in manufacturing highly efficient light-emitting diodes from the silicon nanocrystals.

So far, manufacture of silicon light-emitting diodes has been limited to the red visible spectral range and the near infrared. As regards the efficiency of silicon diodes emitting red light, researchers from Karlsruhe are already top in the world. "Controlled manufacture of diodes emitting multicolor light, however, is an absolutely novelty," explains Florian Maier-Flaig, scientist of the Light Technology Institute (LTI) of KIT and doctoral student of the Karlsruhe School of Optics and Photonics (KSOP). KIT scientists specifically adjust the color of the light emitted by the diodes by separating nanoparticles depending on their size. "Moreover, our light-emitting diodes have a surprising long-term stability that has not been reached before," Maier-Flaig reports. The increased service life of the components in operation is due to the use of nanoparticles of one size only. This enhances the stability of the sensitive thin-film components. Short circuits due to oversized particles are excluded.

The development made by the researchers from Karlsruhe and Toronto is also characterized by an impressive homogeneity of the luminous areas. The KIT researchers are among the few teams in the world that know how to manufacture such devices. "With the liquid-processed silicon LEDs that may potentially be produced on large areas as well as at low costs, the nanoparticle community enters new territory, the associated potentials of which can hardly be estimated today. But presumably, textbooks about semiconductor components have to be rewritten," says Geoffrey A. Ozin, who is presently working as a KIT

distinguished research fellow at KIT's Center for Functional Nanostructures (CFN).

The SiLEDs also have the advantage that they do not contain any [heavy metals](#). In contrast to cadmium selenide, cadmium sulfide or lead sulfide used by other groups of researchers, the [silicon](#) used by this group for the [light](#)-emitting nanoparticles is not toxic. Moreover, it is available at low costs and highly abundant on earth. Due to their many advantages, the SiLEDs will be developed further in cooperation with other partners.

**More information:** *Nano Letters*. [DOI: 10.1021/nl3038689](https://doi.org/10.1021/nl3038689)

Provided by Karlsruhe Institute of Technology

Citation: Light from silicon nanocrystal LEDs (2013, February 18) retrieved 26 June 2024 from <https://phys.org/news/2013-02-silicon-nanocrystal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.