


2012: The Webb telescope's big year of progress

February 5 2013



This image shows the four different types of mirrors on the Webb telescope. From left to right are: a primary mirror segment, the secondary mirror, tertiary mirror and the fine steering mirror. The bottom right shows an artist's conception of the Webb telescope optics with its 18 primary mirror segments. Credit: NASA/Ball Aerospace/Tinsley

The James Webb Space Telescope marked another year of significant progress in 2012 as flight instrumentation was completed and delivered to NASA.

The year brought forth the delivery of two types of flight mirrors, the Mid-Infrared Instrument (MIRI), the Fine [Guidance Sensor](#) and Near-[Infrared Imager](#) and Slitless Spectrograph (FGS/NIRISS), and the completion of the center section of the primary mirror backplane. The Webb project modified the historic Chamber A at NASA's Johnson Space Center, Houston, Texas, to enable the Webb telescope's optics and instrument systems to be tested. In addition to the telescope and test chambers coming together, spinoff technology from the Webb has already been used in industries to improve people's lives.

Mirrors

On Sept. 17, 2012, two primary mirror segments that will fly aboard NASA's [James Webb Space Telescope](#) arrived at NASA's Goddard Space Flight Center in Greenbelt, Md. The flight secondary mirror and a third primary mirror segment arrived at NASA Goddard on Nov. 5, 2012, and are currently being stored in the giant clean room. All of the mirrors are made of beryllium, which was selected for its stiffness, light weight and stability at extremely cold [cryogenic temperatures](#). Bare beryllium is not very reflective at Webb's shortest wavelengths, so each mirror is coated with gold. The microscopic [gold coating](#) enables the mirrors to efficiently reflect infrared light (which is what the Webb telescope's cameras see).

MIRI

The Mid-infrared Instrument (MIRI) flight hardware was delivered to NASA's Goddard Space Flight Center on May 28 2012, for integration into the ISIM. The MIRI will allow scientists to study cold and distant objects in greater detail than ever before and with unprecedented sensitivity. MIRI will observe light with wavelengths in the mid-infrared range of 5 microns to 28.5 microns, which is longer wavelength than

human eyes can detect. Of Webb's four instruments, MIRI is the only one that works at the longest wavelengths. MIRI will be integrated into Webb's science instrument payload known as the Integrated Science Instrument Module (ISIM). An international team of European scientists and engineers collaborated with JPL to produce this instrument.



Engineers at ATK work on the center section of the "backplane" support structure that will hold Webb's mirror segments. Credit: ATK

FGS/NIRISS

The second of four instruments to fly aboard NASA's James Webb Space Telescope was delivered to NASA Goddard on July 30. The Fine Guidance Sensor (FGS) will enable the telescope to accurately and precisely point at the correct targets. The FGS is packaged together as a single unit with the Near-Infrared Imager and Slitless Spectrograph

(NIRISS) science instrument. The FGS/NIRISS will also be integrated into Webb's ISIM.

The FGS consists of two identical cameras that will allow the telescope to determine its position, locate its celestial targets, and remain pointed to collect high-quality data. The FGS will guide the telescope with incredible precision, with an accuracy of one millionth of a degree of angle. Although the NIRISS is packaged with the FGS, it is functionally independent. NIRISS provides unique capabilities that will aid in finding the earliest and most distant objects in the Universe's history. It will also peer through the glare of nearby stars to detect and study planets in other Solar Systems. The FGS/NIRISS was developed by the Canadian Space Agency.

Backplane

The center section of the Webb telescope's flight backplane structure that will fly on the Webb telescope was completed in April, 2012. The structure will support twelve of the eighteen beryllium mirrors, thermal control systems and other elements during ground tests, launch and during science operations. Measuring approximately 24 by 12 feet yet weighing only 500 pounds, the center section of the backplane meets unprecedented thermal stability requirements. The center section is the first of the three sections of the backplane to be completed.

Chamber A Completed

For three years, engineers at NASA's Johnson Space Center in Houston, Texas have been building and remodeling the interior of Chamber A, the largest thermal vacuum chamber in the world, so it will meet the temperature requirements to test the Webb. They installed a gaseous helium cooling system that brought the interior of the chamber down to

11 degrees kelvin above absolute zero (-439.9 F/-262.1C). Chamber A testing will confirm that the telescope and science instrument systems will perform properly together in the cold temperatures of space.

Additional test support equipment includes mass spectrometers, infrared cameras and television cameras so that engineers can keep an eye on the Webb while it's being tested.

Spinoff Technologies

New technologies developed for NASA's James Webb Space Telescope have already been adapted and applied to commercial applications in various industries including optics, aerospace, astronomy, medical and materials. Some of these technologies can be explored for use and licensed through NASA's Office of the Chief Technologist at NASA's Goddard [Space](#) Flight Center, Greenbelt, Md.

For example, the optical measuring technology developed for the Webb, called "wavefront sensing" has been applied to eye health and has allowed improvements in measurement of human eyes, diagnosis of ocular diseases and potentially improved surgery.

Provided by NASA's Goddard Space Flight Center

Citation: 2012: The Webb telescope's big year of progress (2013, February 5) retrieved 25 April 2024 from <https://phys.org/news/2013-02-webb-telescope-big-year.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--