


New distance record for 400 Gb/s data transmission


March 12 2013



This shows the measured optical spectrum of the eight 100GHz-spaced 495Gb/s WDM signals at the launch into the transmission fiber. The insets are measured constellation diagrams before and after transmission. QPSK: quadrature phase shift keying; QAM: quadrature amplitude modulation; WDM: wavelength division multiplexed. Credit: AT&T Labs

As network carriers debate the next Ethernet standard—and whether transmission speeds of 400 gigabit per second or 1 terabit per second should be the norm—engineers are working on new measures to squeeze next-generation performance out of current-generation systems.

To that end, a team from AT&T has devised a new patent pending technique enabling tuning of the modulation [spectral efficiency](#), which allows, for the first time, 400 Gb/s signals to be sent over today's 100 gigahertz-grid optical networks over ultra-long distances. Spectral efficiency is the information rate that can be transmitted over a given bandwidth, and measures how efficiently the available frequency spectrum is utilized.



In the experiment:

	Mod. Format	Spectral Width
Slot 1	400G PM-QPSK	124 GHz
Slot 2	400G PM-8QAM	82.5 GHz
TDM frame (slot 1 + slot 2)	400G PM-QPSK-8QAM	82.5 to 124GHz adaptable


This is about the principle of the proposed optical modulation technique having adaptable spectral efficiency. The table lists the modulation formats used in the experiment for time slots 1 and 2, as well as the modulation formats' spectral widths and the resulting range of adaptable spectral width attainable for the TDM frame from the proposed optical modulation technique. TDM: time-division-multiplexed; PM: polarization-multiplexed; QPSK: quadrature phase shift keying; QAM: quadrature amplitude modulation. Credit: AT&T Labs

The researchers, led by optical transmission system expert Xiang Zhou of AT&T Labs-Research in Middletown, N.J., will describe their work

at the Optical Fiber Communication Conference and Exposition/National Fiber Optic Engineers Conference (OFC/NFOEC) in Anaheim, Calif. March 17-21.

In the system, Nyquist-shaped 400Gb/s signals with tunable spectral efficiency were generated using modulated subcarriers. Eight 100 GHz-spaced, 400 Gb/s wavelength-division-multiplexed signals were combined and then transmitted over a re-circulating transmission test platform consisting of 100-km fiber spans.

Using the new modulation technique and a new low-loss, large-effective area fiber from OFS Labs, the team transmitted the signals over a record-breaking 12,000 kilometers (roughly 7500 miles)—surpassing their own previous distance record (using the 50 gigahertz-grid) by more than 9000 km.



This shows an experimental setup consisting of the 495Gb/s PM-QPSK-8QAM transmitter, the transmission line system implemented in a recirculating loop, and the digital coherent receiver. WDM: wavelength division multiplexer; DSP: digital signal processing; DAC: digital to analog converter; ILF: interleave filter; IQ MOD: in-phase and quadrature modulator; POL MUX: polarization multiplexer; OA: optical amplifier; LO: local oscillator; O/E: optical to electrical converter; ULA: ultra-large area; ADC: analog to digital converter. Credit:

AT&T Labs

"This result not only represents a reach increase by a factor of 2.5 for 100 GHz-spaced 400 G-class WDM systems, it also sets a new record for the product of spectral efficiency and distance," says Zhou.

Compared to modulation techniques currently used, he says, "our method has the unique capability to allow tuning of the modulation spectral efficiency to match the available channel bandwidth and maximize the [transmission](#) reach, while maintaining tolerance to fiber nonlinearities and laser phase noise, both of which are major factors limiting performance for high-speed optical systems."

More information: Zhou's presentation at OFC/NFOEC, entitled "12,000km Transmission of 100GHz Spaced, 8x495-Gb/s PDM Time-Domain Hybrid QPSK-8QAM Signals," will take place Tuesday, March 19 at 3 p.m. in the Anaheim Convention Center.

Provided by The Optical Society

Citation: New distance record for 400 Gb/s data transmission (2013, March 12) retrieved 10 April 2024 from <https://phys.org/news/2013-03-distance-gbs-transmission.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--