


# Glass-blowers at nano scale: Researchers use STM to change size of glass capillary tubes

March 25 2013



This is a screenshot of an electron microscope at EPFL's Center for MicroNanotechnology. The hole of the capillary, seen from above, can be shrunk according to the needs and monitored live until the proper diameter is reached. The green circle shows that it has now a diameter of 20 nm. Credit: Alain Herzog / EPFL

Have you ever thrown into the fire - even if you shouldn't have - an empty packet of crisps? The outcome is striking: the plastic shrivels and bends into itself, until it turns into a small crumpled and blackened ball.

This phenomenon is explained by the tendency of materials to pick up their original features in the presence of the right stimulus. Hence, this usually happens when heating materials that were originally shaped at high temperatures and cooled afterwards.

EPFL researchers realized that this phenomenon occurred to ultrathin quartz tubes (capillary tubes) under the beam of a [scanning electron microscope](#). "This is not the original microscope's purpose. The [temperature increase](#) is explained by an accumulation of electrons in the glass. Electrons accumulate because glass is a non-[conductive material](#)," explains Lorentz Steinbock, researcher at the Laboratory of Nanoscale Biology and co-author of a paper on this subject published in *Nano Letters*.

As the glass shrinks, it can be seen live on the microscope screen. "It's like a glass-blower. Thanks to the possibilities provided by the new microscope at EPFL's Center of Micronanotechnology (MIC), the operator can adjust the microscope's voltage and electric field strength while observing the tube's reaction. Thus, the person operating the microscope can very precisely control the shape he wants to give to the glass", says Aleksandra Radenovic, tenure-track assistant professor in charge of the laboratory.



A few of these commercial pre-shrunk nano-capillaries have had their end diameter reduced to a few nanometers, from an original 200 nm, thanks to an electron microscope at EPFL's Center for MicroNanotechnology. Credit: Alain Herzog / EPFL

At the end of this process, the capillary tube's ends are perfectly controllable in diameter, ranging from 200 [nanometers](#) to fully closed. The scientists tested their slimmed down tubes in an experiment aiming to detect [DNA segments](#) in a sample. The test sample was moved from one container to another on a microfluidic chip. Whenever a molecule crossed the "channel" connecting the containers, the variation of the ion current was measured. As expected, the EPFL team obtained more accurate results with a tube reduced to the size of 11 nm than with standard market models. "By using a capillary tube costing only a few cents, in five minutes we are able to make a device that can replace "nano-channels" sold for hundreds of dollars!" explains Aleksandra Radenovic.

These nano-fillers have a potential beyond laboratory usage. "We can imagine industrial applications in ultra-high precision printers, as well as opportunities in surgery, where micro-pipettes of this type could be used at a cell's scale", says the researcher.

For the time being, the method for manufacturing nano-capillary tubes is manual, the transition to an industrial scale will take some time.

However, the researchers have been able to demonstrate the concept behind their discovery and have registered a patent. Therefore, the road is already paved.

**More information:** [pubs.acs.org/doi/abs/10.1021/nl400304y](https://pubs.acs.org/doi/abs/10.1021/nl400304y)

Provided by Ecole Polytechnique Federale de Lausanne

Citation: Glass-blowers at nano scale: Researchers use STM to change size of glass capillary tubes (2013, March 25) retrieved 5 May 2024 from <https://phys.org/news/2013-03-glass-blowers-nano-scale-stm-size.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--