


Nanowire solar cells raise efficiency limit

March 24 2013




Nanowire crystals are used as the solar cells. The image (left) shows a SEM (Scaning Electron Microscope) image of GaAs nanowire crystal grown on a Silicon substrate. A TEM (Transmission Electron Microscope) image (middle) shows a single nanowire. Further zooming in on the crystal structure, using STEM (Scanning Transmission Electron Microscope) imaging, shows the actual atomic columns (right). Credit: Niels Bohr Institute

Scientists from the Nano-Science Center at the Niels Bohr Institut, Denmark and the Ecole Polytechnique Fédérale de Lausanne, Switzerland, have shown that a single nanowire can concentrate the sunlight up to 15 times of the normal sun light intensity. The results are surprising and the potential for developing a new type of highly efficient solar cells is great.



Due to some unique physical <u>light absorption</u> properties of nanowires, the limit of how much energy we can utilize from the sun's rays is higher than previous believed. These results demonstrate the great potential of development of nanowire-based <u>solar cells</u>, says PhD Peter Krogstrup on the surprising discovery that is described in the journal *Nature Photonics*.

The research groups have during recent years studied how to develop and improve the quality of the nanowire crystals, which is a cylindrical structure with a diameter of about 10,000 part of a human hair. The nanowires are predicted to have great potential in the development not only of solar cells, but also of future quantum computers and other electronic products.



The figure shows that the sun's rays are drawn into a nanowire, which stands on a substrate. At a given wavelength the sunlight is concentrated up to 15 times. Consequently, there is great potential in using nanowires in the development of future solar cells. Credit: Niels Bohr Institute



It turns out that the nanowires naturally concentrate the sun's rays into a very small area in the crystal by up to a factor 15. Because the diameter of a nanowire crystal is smaller than the wavelength of the light coming from the sun it can cause resonances in the intensity of light in and around nanowires. Thus, the resonances can give a concentrated sunlight, where the energy is converted, which can be used to give a higher conversion effeciency of the sun's energy, says Peter Krogstrup, who with this discovery contributes to that the research in <u>solar cell</u> technology based on nanowires get a real boost.

New efficiency limit

The typical efficiency limit - the so-called "Shockley-Queisser Limit" - is a limit, which for many years has been a landmark for solar cells efficiency among researchers, but now it seems that it may be increased.

It's exciting as a researcher to move the theoretical limits, as we know. Although it does not sound like much, that the limit is moved by only a few percent, it will have a major impact on the development of solar cells, exploitation of nanowire solar rays and perhaps the extraction of energy at international level. However, it will take some years years before production of solar cells consisting of nanowires becomes a reality, says Peter Krogstrup who just completed his PhD at the Niels Bohr Institute, University of Copenhagen.

The research is conducted in collaboration with the Laboratory des Matériaux Semiconducteurs, Ecole Polytechnique Fédérale de Lausanne, the Foundation and the company SunFlake A / S. Their scientific findings work support results published in the journal *Science* in January. Here, a group of researchers from Lund, showed that the sun's rays was sucked into the <u>nanowires</u> due to the high amount of power that their



solar cell produced.

Provided by University of Copenhagen

Citation: Nanowire solar cells raise efficiency limit (2013, March 24) retrieved 1 May 2024 from <u>https://phys.org/news/2013-03-nanowire-solar-cells-efficiency-limit.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.