

## Physicists use metamaterials to observe giant photonic spin Hall effect

March 21 2013



Light propagating through a metamaterial follows a curved trajectory that drags light with different circular polarization in opposite transverse directions to produce a giant photonic Spin Hall effect. Credit: Zhang group



(Phys.org) —Researchers with the U.S. Department of Energy (DOE)'s Lawrence Berkeley National Laboratory (Berkeley Lab) have once again demonstrated the incredible capabilities of metamaterials – artificial nanoconstructs whose optical properties arise from their physical structure rather than their chemical composition. Engineering a unique two-dimensional sheet of gold nanoantennas, the researchers were able to obtain the strongest signal yet of the photonic spin Hall effect, an optical phenomenon of quantum mechanics that could play a prominent role in the future of computing.

"With metamaterial, we were able to greatly enhance a naturally weak effect to the point where it was directly observable with simple detection techniques," said Xiang Zhang, a faculty scientist with Berkeley Lab's <u>Materials Sciences</u> Division who led this research. "We also demonstrated that metamaterials not only allow us to control the propagation of light but also allos control of circular polarization. This could have profound consequences for information encoding and processing."

Zhang is the corresponding author of a paper describing this work in the journal *Science*. The paper is titled "Photonic Spin Hall Effect at Metasurfaces." Co-authors are Xiaobo Yin, Ziliang Ye, Jun Sun Rho and Yuan Wang.

The spin Hall effect, named in honor of physicist Edwin Hall, describes the curved path that spinning electrons follow as they move through a semiconductor. The curved movement arises from the interaction between the physical motion of the electron and its spin – a quantized angular momentum that gives rise to <u>magnetic moment</u>. Think of a <u>baseball pitcher</u> putting spin on a ball to make it curve to the left or right.





This is a scanning electron microscopy image of a metasurface comprised of V-shaped antennas with a variety of arm configuations. Credit: Zhang group

"Light moving through a metal also displays the spin Hall effect but the photonic spin Hall effect is very weak because the spin angular momentum of photons and spin-orbit interactions are very small," says Xiaobo Yin, a member of Zhang's research group and the lead author of the Science paper. "In the past, people have managed to observe the photonic spin Hall effect by generating the process over and over again



to obtain an accumulative signal, or by using highly sophisticated quantum measurements. Our metamaterial makes the photonic spin Hall effect observable even with a simple camera."

Metamaterials have garnered a lot of attention in recent years because their unique structure affords electromagnetic properties unattainable in nature. For example, a metamaterial can have a negative index of refraction, the ability to bend light backwards, unlike all materials found in nature, which bend light forward. Zhang, who holds the Ernest S. Kuh Endowed Chair Professor of Mechanical Engineering at the University of California (UC) Berkeley, where he also directs the National Science Foundation's Nano-scale Science and Engineering Center, has been at the forefront of metamaterials research. For this study, he and his group fashioned metamaterial surfaces about 30 nanometers thick (a human hair by comparison is between 50,000 and 100,000 nanometers thick). These metasurfaces were constructed from V-shaped gold nanoantennas whose geometry could be configured by adjusting the length and orientation of the arms of the Vs.

"We chose eight different antenna configurations with optimized geometry parameters to generate a linear phase gradient along the x direction," says Yin. "This enabled us to control the the propagation of the light and introduce strong photon spin-orbit interactions through rapid changes in direction. The photonic spin Hall effect depends on the curvature of the light's trajectory, so the sharper the change in propagation direction, the stronger the effect."

Since the entire metasurface sample measured only 0.3 millimeters, a 50-millimeter lens was used to project the transmission of the light through the metamaterial onto a charge-coupled device (CCD) camera for imaging. From the CCD images, the researchers determined that both the control of light propagation and the giant photonic spin Hall effect were the direct results of the designed meta-material. This finding



opens up a wealth of possibilities for new technologies.

"The controllable spin-orbit interaction and momentum transfer between spin and orbital angular momentum allows us to manipulate the information encoded on the polarization of light, much like the 0 and 1 of today's electronic devices," Yin says. "But photonic devices could encode more information and provide greater information security than conventional electronic devices."

Yin says the ability to control left and right <u>circular polarization</u> of light in metamaterial surfaces should allow for the formation of optical elements, like highly coveted "flat lenses," or the management of light polarization without using wave plates.

"Metamaterials provide us with tremendous design freedom that will allow us to modulate the strength of the photonic spin Hall effect at different spatial locations," Yin says. "We knew the photonic spin <u>Hall</u> <u>effect</u> existed in nature but it was so hard to detect. Now, with the right metamaterials we can not only enhance this effect we can harness it for our own purposes."

**More information:** "Photonic Spin Hall Effect at Metasurfaces," by X. Yin et al. *Science*, 2013.

## Provided by Lawrence Berkeley National Laboratory

Citation: Physicists use metamaterials to observe giant photonic spin Hall effect (2013, March 21) retrieved 6 May 2024 from <u>https://phys.org/news/2013-03-physicists-metamaterials-giant-photonic-hall.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.