

## New sensor cable enables remote monitoring of miles of perimeter fencing

## March 27 2013

Airports, nuclear power stations, industrial and research sites, or even your own garden – there are many places that need to be protected against unauthorized access, and often protection is required 24 hours a day, seven days a week. Up until now, the sheer length of the perimeter to be protected and the high costs involved made this sort of protection impossible at many sites. Working in collaboration with a number of companies, research scientists at Saarland University have developed a new type of surveillance technology that enables extended perimeters to be monitored and protected at low cost. The new technology is based on magnetometers (magnetic field sensors) that can be incorporated within smart cables of essentially any length. These cables can themselves be installed into fencing or roadways. The research team is presenting its innovative technology at the major international technology fair Hannover Messe from April 8th to April 12th (Stand C 40, Hall 2 – Saarland Research and Innovation Stand).

If an intruder wants to gain access to a secure industrial site, he first has to overcome some sort of <u>physical barrier</u>, typically a fence. If he climbs the fence or cuts the links he will, unavoidably, cause a vibrational disturbance, which will disclose his position to the novel detection system that has been developed by Uwe Hartmann, Professor for <u>Experimental Physics</u> at Saarland University, and research assistant Haibin Gao. No matter how small the disturbance, each movement of the fence influences the Earth's magnetic field and these changes are detected by the system's tiny, highly sensitive magnetometers.



The magnetometer probes are arranged within the cable like beads on a necklace and the cable is incorporated either permanently or temporarily into the fence. The cable can also be buried in the ground, in which case it responds to any changes in the magnetic field above it. The tiny probes form part of a bus <u>communication network</u> and immediately report any physical disturbance or change including information on where the vibration occurred and whether or not the change in the <u>magnetic field</u> was caused by a human intruder.

The researchers need to be able to exclude false alarms triggered by wind, animals or some other harmless cause. This they do by using complex algorithms to analyse the signals generated by the individual sensors. These algorithms are currently being developed and refined in order to unambiguously distinguish natural disturbances from the disturbances caused by a human intruder.

"The smart sensor cable does not require any major conversion work to be carried out before it can be used, and makes barbed wire and camera surveillance superfluous," says Professor Hartmann. "The system does not record any personal data. The sensors report only the information that is needed for protecting property or for monitoring, say, rail traffic: Has a disturbance occurred? If it has, where did it occur and was it caused by human interference? No other information about the person is recorded," explains Hartmann.

The prototype of the "Vibromag Cable" that Uwe Hartmann and his team developed in conjunction with St. Ingbert-based company Votronic Technology GmbH is now to be developed to production standard. This is the objective of a new project starting in August 2013 in which the Saarbrücken physicists will be teaming up with three partner companies, each of which became aware of the new technology at the 2012 Hannover Messe. The three companies are: Sensitec GmbH, based in Mainz and Lahnau (<u>http://www.sensitec.com</u>), Listec GmbH from Isen



(<u>http://www.listec-gmbh.com</u>), and GBA-Panek GmbH whose headquarters are in Kahla, south of Jena (<u>http://www.gba-panek.de</u>).

The Saarland Research and Innovation stand at Hannover Messe is organized by Saarland University's Contact Centre for Technology Transfer (KWT).

Provided by Saarland University

Citation: New sensor cable enables remote monitoring of miles of perimeter fencing (2013, March 27) retrieved 16 June 2024 from <u>https://phys.org/news/2013-03-sensor-cable-enables-remote-miles.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.