

Chile's Humboldt penguins under threat of extinction

April 28 2013, by Paulina Abramovich



Humboldt penguins remain at the zoo in Santiago, on April 4, 2013. Several dozen Humboldt penguins sun themselves along the coast of an islet in central Chile where the majestic birds coming here to nest once numbered in the thousands.

Several dozen Humboldt penguins sun themselves along the coast of an islet in central Chile where the majestic birds coming here to nest once numbered in the thousands.

Humboldt [penguins](#)—which nest only in parts of Chile and Peru—over the years have become decimated by human encroachment, rat infestations and unforgiving weather currents carried by unusually warm [El Nino ocean temperatures](#), naturalists said.

The Pajaro Nino islet, spread across a narrow channel of water from the popular resort area of Algarrobo, once drew about 2,000 of the birds during nesting season.

Today only about 500 of the birds come to this area some 120 kilometers (75 miles) west of Santiago.

"This area used to be completely filled with penguins and birds, but over time, their numbers have diminished," said Ruben Rojas, a local fisherman.

There are various varieties of penguins that inhabit Chile, but the largest colonies of Humboldt can be found in the northern part of the country. The birds are identifiable by the distinctive black bands across their chests.

Experts have expressed alarm over the rapidly vanishing penguins. The once plentiful species is classified in Chile as "vulnerable," while in Peru, the birds have been labeled "endangered."

Alejandro Simeone, director of the Department of Ecology and [Biodiversity](#) at Andres Bello University, told AFP that there are currently fewer than 50,000 Humboldt penguins left in Chile and Peru.

"A multitude of factors threaten a species that is highly diminished relative to what once existed," Simeone said.

The beginning of their demise dates back to 1978, when the island,

which is also a nature sanctuary, was joined to the mainland by a cement fill-in—a breakwater designed to protect the yachts of millionaire sailing enthusiasts.

It created in effect a 150-meter (500-foot) bridge connecting the mainland to the island, and local residents say they have seen the detrimental impact of its construction on animal and plant life.



Humboldt penguins remain at the Pajaro Nino island, in Algarrobo seaside resort, some 120 km west of Santiago, on March 6, 2013. Several dozen Humboldt penguins sun themselves along the coast of an islet in central Chile where the majestic birds coming here to nest once numbered in the thousands.

Yachters have been accused of trying to rid the region of the birds, and video footage has surfaced showing some deliberately—and illegally—destroying penguin eggs to prevent new broods.

Rojas said the yachters don't like the excrement left behind by the birds. "They say it makes the island stink," he explained.

Prosecutors say they are investigating the alleged destruction of the penguins' eggs.

Part of the blame for the birds' gradual disappearance goes to fishermen's nets that ensnare hundreds of the birds each year.

A measure of blame also goes to the El Nino weather phenomenon and the warm water current it carries.

The frigid Humboldt current, which gives the penguin species its name, carries the [birds'](#) favorite foods, like anchovies and sardines.

El Nino currents, however, "warm the waters, making it hard for the penguins to find the fish that make up their usual diet," said Guillermo Cubillos of the Santiago National Zoo.

If the El Nino warming of the waters occurs during breeding season, many of the eggs or young die of cold and hunger, because their parents are delayed or even fail to return with food.

Rats also are seen as a major culprit. The cement breakwater that connects the islet to the mainland also has given free access to rodents, which feast on the vulnerable eggs and hatchlings of the nesting penguins.

A 2012 study found that almost half of all penguin eggs on the island were devoured, primarily by rodents, within the first 12 hours of breeding period.

(c) 2013 AFP

Citation: Chile's Humboldt penguins under threat of extinction (2013, April 28) retrieved 20 March 2024 from <https://phys.org/news/2013-04-chile-humboldt-penguins-threat-extinction.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.