

Elucidating environmental history with 100 million laser beams

April 30 2013

By combining high-resolution surface data obtained from laser scanning with subsurface geodata, scientists from Heidelberg University have succeeded for the first time in providing a full picture of so-called karst depressions on the island of Crete, including a three-dimensional view into the subsurface structure of these funnel-shaped hollows. This new 3D representation method has been developed under the leadership of junior professor Dr. Bernhard Höfle at Heidelberg University's Institute of Geography. It is ideal for in-depth analyses at the interface between geosciences and ancient studies. The sediment infills of karst depressions provide terrestrial archives of great value for the reconstruction of environmental scenarios from the past.

For thousands of years, karst landforms and particularly karst depressions like dolines, for example, have been important sites of human husbandry. There is evidence from as far back as the 2nd century BC that such depressions were used for agriculture and livestock breeding, including in the mountainous regions of Crete. Due to their funnel-shaped form, dolines serve as "material traps" in which loose sediments, archaeological finds or volcanic ashes can accumulate. "These infills can supply important information on former climatic conditions, vegetation structure and also on human impact through land use", says Dr. Christoph Siart, a fellow researcher of Prof. Höfle's.

So far, say the Heidelberg geographers, karst depressions have usually only been examined in connection with drilling of <u>sediment cores</u>. These provide insights into the subsurface structure, albeit of a discrete nature,



and have been drawn upon in conjunction with geomorphological surface finds to propose explanations for the genesis and function of dolines. With the aid of the new 3D data-modelling method developed in Heidelberg, the scientists have now succeeded in combining the twodimensional subsurface data with high-resolution 3D surface data. To accomplish this, surface topography data were acquired with the aid of terrestrial laser scanning. Two-dimensional views of various crosssections of the subsurface of the sediment-filled dolines were achieved with a combination of various geophysical measuring procedures.

The fusion of these data now makes it feasible to undertake soundly substantiated geomorphometric analyses. "For example, we can determine the volume or undertake a digital measurement of the depressions in a virtual three-dimensional model", says Prof. Höfle. "That means we have created the basis for first-ever statements on the genesis, the sediment infill process and the age of the dolines. This is of immense significance for the reconstruction of the environmental history because it supplies a holistic view of geomorphological forms via a combination of surface and subsurface data and thus helps to understand the local processes that ultimately led to the formation of the landscape as we know it today."

Data collection and methodological development took place in the framework of the projects "Reconstruction of Holocene Environmental Change on Crete" and "Geoinformatics and 3D Geoinformation Technology" conducted in the physical geography and geoinformatics research groups of Heidelberg University's Institute of Geography. For more information, go to giscience.uni-hd.de.

More information: Siart, C. et al. Fusion of multi-resolution surface (terrestrial laser scanning) and subsurface geodata (ERT, SRT) for karst landform investigation and geomorphometric quantification; *Earth Surface Processes and Landforms* (2013). <u>doi: 10.1002/esp.3394</u>



Provided by Heidelberg University

Citation: Elucidating environmental history with 100 million laser beams (2013, April 30) retrieved 6 May 2024 from https://phys.org/news/2013-04-elucidating-environmental-history-million-laser.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.