

Research finds invasive kudzu bugs may pose greater threat than previously thought

April 15 2013



Researchers found kudzu bugs were able to feed exclusively on soybeans, reach maturity and reproduce. This means the crop pests could spread much further than previously thought. Credit: Alejandro Del Pozo-Valdivia, North Carolina State University

The invasive kudzu bug has the potential to be a major agricultural pest, causing significant damage to economically important soybean crops.



Conventional wisdom has held that the insect pests will be limited to areas in the southern United States, but new research from North Carolina State University shows that they may be able to expand into other parts of the country.

Kudzu bugs (*Megacopta cribraria*) are native to Asia, and were first detected in the U.S. in Georgia in 2009. They have since expanded their territory as far north as Virginia. The bugs have an interesting life cycle, which has been thought to be a limiting factor on far they can spread.

Eggs laid in the spring hatch into a first generation, which we'll call "Generation A." The immature bugs of Generation A normally feed on kudzu plants until they reach adulthood, when they have been known to move into commercial <u>soybean fields</u>. These <u>mature adults</u> lay eggs that hatch into Generation B during the summer months. Generation B kudzu bugs can feed on soybean crops during both their immature and adult life stages, causing significant crop damage.

Because the immature Generation A kudzu bugs have only been seen to feed on kudzu, researchers thought that the pest would not be able to migrate to northern and western parts of the United States, where kudzu doesn't grow. But now it's not so clear.

Under controlled conditions in a greenhouse laboratory, researchers at NC State found that immature Generation A kudzu bugs were not limited to feeding on kudzu – they were able to feed exclusively on soybeans, reach maturity and reproduce.

"Researchers began seeing some of this behavior in the wild in 2012 and, while those data aren't quite ready for publication, our lab work and the field observations indicate that kudzu bugs are potentially capable of spreading into any part of the U.S. where soybeans are grown. And soybeans are grown almost everywhere," says Dr. Dominic Reisig, an



assistant professor of entomology at NC State and co-author of a paper on the research. "It also means that both annual generations of <u>kudzu</u> bugs could attack <u>soybean crops</u> in areas where the bug is already established, which would double the impact on farmers."

More information: The paper, "First-Generation Megacopta cribraria (Hemiptera: Plataspidae) Can Develop on Soybeans," is a "rapid communication" article in the April issue of the *Journal of Economic Entomology*.

Provided by North Carolina State University

Citation: Research finds invasive kudzu bugs may pose greater threat than previously thought (2013, April 15) retrieved 13 May 2024 from <u>https://phys.org/news/2013-04-invasive-kudzu-bugs-pose-greater.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.