


Global warming caused by chlorofluorocarbons, not carbon dioxide, new study says

May 30 2013



Chlorofluorocarbons are to blame for global warming since the 1970s and not carbon dioxide, according to new research from the University of Waterloo published in the *International Journal of Modern Physics B* this week. This graph shows the predicted path of global temperatures is set to continue their decline as a result of depletion of CFC's in the atmosphere. Credit: Qing-Bin Lu, University of Waterloo

Chlorofluorocarbons (CFCs) are to blame for global warming since the 1970s and not carbon dioxide, according to new research from the

University of Waterloo published in the *International Journal of Modern Physics B* this week.

CFCs are already known to deplete ozone, but in-depth statistical analysis now shows that CFCs are also the key driver in global climate change, rather than [carbon dioxide](#) (CO₂) emissions.


"Conventional thinking says that the emission of human-made non-CFC gases such as carbon dioxide has mainly contributed to global warming. But we have observed data going back to the Industrial Revolution that convincingly shows that conventional understanding is wrong," said Qing-Bin Lu, a professor of physics and astronomy, biology and chemistry in Waterloo's Faculty of Science. "In fact, the data shows that CFCs conspiring with cosmic rays caused both the polar [ozone hole](#) and global warming."

"Most conventional theories expect that [global temperatures](#) will continue to increase as CO₂ levels continue to rise, as they have done since 1850. What's striking is that since 2002, global temperatures have actually declined – matching a decline in CFCs in the atmosphere," Professor Lu said. "My calculations of CFC [greenhouse effect](#) show that there was global warming by about 0.6 °C from 1950 to 2002, but the earth has actually cooled since 2002. The cooling trend is set to continue for the next 50-70 years as the amount of CFCs in the atmosphere continues to decline."

The findings are based on in-depth [statistical analyses](#) of observed data from 1850 up to the present time, Professor Lu's cosmic-ray-driven electron-reaction (CRE) theory of [ozone depletion](#) and his previous research into Antarctic ozone depletion and global surface temperatures.

"It was generally accepted for more than two decades that the Earth's [ozone layer](#) was depleted by the sun's ultraviolet light-induced

destruction of CFCs in the atmosphere," he said. "But in contrast, CRE theory says cosmic rays – energy particles originating in space – play the dominant role in breaking down ozone-depleting molecules and then ozone."



Chlorofluorocarbons are to blame for global warming since the 1970s and not carbon dioxide, according to new research from the University of Waterloo published in the *International Journal of Modern Physics B* this week. The graph demonstrates the near perfect correlation between observed temperature data and Professor Qing-Bin Lu's cosmic-ray-driven electron-reaction (CRE) theory of ozone depletion. Credit: Qing-Bin Lu, University of Waterloo

Lu's theory has been confirmed by ongoing observations of cosmic ray, CFC, ozone and stratospheric temperature data over several 11-year solar cycles. "CRE is the only theory that provides us with an excellent reproduction of 11-year cyclic variations of both polar ozone loss and stratospheric cooling," said Professor Lu. "After removing the natural

cosmic-ray effect, my new paper shows a pronounced recovery by ~20% of the Antarctic ozone hole, consistent with the decline of CFCs in the polar stratosphere."

By proving the link between CFCs, ozone depletion and temperature changes in the Antarctic, Professor Lu was able to draw almost perfect correlation between rising [global surface temperatures](#) and CFCs in the atmosphere.

"The climate in the Antarctic stratosphere has been completely controlled by CFCs and [cosmic rays](#), with no CO₂ impact. The change in global surface temperature after the removal of the solar effect has shown zero correlation with CO₂ but a nearly perfect linear correlation with CFCs - a correlation coefficient as high as 0.97."

Data recorded from 1850 to 1970, before any significant CFC emissions, show that [CO₂ levels](#) increased significantly as a result of the Industrial Revolution, but the global temperature, excluding the solar effect, kept nearly constant. The conventional warming model of CO₂, suggests the temperatures should have risen by 0.6°C over the same period, similar to the period of 1970-2002.

The analyses indicate the dominance of Lu's CRE theory and the success of the Montreal Protocol on Substances that Deplete the Ozone Layer.

"We've known for some time that CFCs have a really damaging effect on our atmosphere and we've taken measures to reduce their emissions," Professor Lu said. "We now know that international efforts such as the Montreal Protocol have also had a profound effect on [global warming](#) but they must be placed on firmer scientific ground."

"This study underlines the importance of understanding the basic science underlying ozone depletion and global climate change," said Terry

McMahon, dean of the faculty of science. "This research is of particular importance not only to the research community, but to policy makers and the public alike as we look to the future of our climate."

Professor Lu's paper, Cosmic-Ray-Driven Reaction and Greenhouse Effect of Halogenated Molecules: Culprits for Atmospheric Ozone Depletion and Global Climate Change, also predicts that the global sea level will continue to rise for some years as the hole in the ozone recovers increasing ice melting in the polar regions.

"Only when the effect of the global temperature recovery dominates over that of the polar ozone hole recovery, will both temperature and polar ice melting drop concurrently," says Lu.

The peer-reviewed paper published this week not only provides new fundamental understanding of the ozone hole and [global climate change](#) but has superior predictive capabilities, compared with the conventional sunlight-driven [ozone](#)-depleting and CO₂-warming models.

More information: Cosmic-Ray-Driven Reaction and Greenhouse Effect of Halogenated Molecules: Culprits for Atmospheric Ozone Depletion and Global Climate Change, Qing-Bin Lu, University of Waterloo, Published on May 30 in *International Journal of Modern Physics B* Vol. 27 (2013) 1350073 (38 pages). The paper is available online at: [www.worldscientific.com/doi/ab ... 42/S0217979213500732](http://www.worldscientific.com/doi/abs/10.1142/S0217979213500732)

Provided by University of Waterloo

Citation: Global warming caused by chlorofluorocarbons, not carbon dioxide, new study says (2013, May 30) retrieved 13 March 2024 from <https://phys.org/news/2013-05-global-chlorofluorocarbons-carbon-dioxide.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.