

## Metallic glass: How nanoscale islands react under strain

May 8 2013



Snapshots of atomic movements captured during simulations of FeP (top), MgAl (middle) and CuZr (bottom) metallic glasses undergoing increasing mechanical strain (left to right). Credit: 2012 American Institute of Physics

Quick-cooling molten atoms give metal alloys a glassy, or random, atomic structure that generates higher elasticity and better wear- and corrosion-resistance than their crystalline alloy counterparts. However, these 'metallic glasses' also suffer from brittleness that makes them shatter. Findings from Yong Wei Zhang of the A\*STAR Institute of High Performance Computing in Singapore and co-workers may now make it easier to use metallic glass in practical engineering applications.



They have discovered that a fundamental relationship between material plasticity and atomic 'islands', known as 'shear transition zones' (STZs), enables precise measurement and prediction of fracturing in these materials.

When an external force strains a metallic glass, most of its atoms respond elastically and try to return to their original positions. Researchers believe that shattering occurs when STZs appear and begin to deform irreversibly. If present in high enough numbers, the STZs will generate shear bands that propagate through a cascade-like process and make the glass fracture.

Despite their importance, defining the extent of STZs remains a point of controversy among researchers. Zhang and co-workers used atomic calculations to explore the development of STZs within three metallic glasses—iron–phosphorous (FeP), magnesium–aluminum (MgAl) and copper–zirconium (CuZr). They selected these materials because of their increasingly different 'Poisson's ratios', a mechanical constant that describes how a material 'pinches in', like a rubber band, when pulled lengthwise. Zhang and co-workers suspected that this ratio could be related to STZ formation.

They first simulated <u>mechanical strain</u> in each of the three types of <u>metallic glass</u> (see image) and observed whether the atomic movements were plastic or irreversible. Then, they correlated the plastic movements with a <u>mathematical function</u> based on interatomic distances. Intriguingly, they discovered that they could extract a constant 'characteristic length' parameter to measure the size of STZ islands that developed during deformation.

Zhang explains that the nanoscale lengths of STZs are reminiscent of 'defects' seen in crystalline metals, and their positive correlation with the Poisson's ratio of a material can help predict fracture problems. Their



calculations showed that bigger STZ islands had more resistance to pinching in, and shattered only when relatively large shear bands formed.

By connecting basic materials physics to atomic deformation zones, the team hopes to lay the groundwork for a new generation of metallic glasses with greater resistance to brittle fracture. "Understanding the connection between Poisson's ratio, STZ size and fracture toughness is very important for the development of metallic glasses with good mechanical properties," says Zhang.

**More information:** Murali, P., Zhang, Y. and Gao, H. On the characteristic length scales associated with plastic deformation in metallic glasses. *Applied Physics Letters* 100, 201901 (2012). <u>dx.doi.org/10.1063/1.4717744</u>

Provided by Agency for Science, Technology and Research (A\*STAR), Singapore

Citation: Metallic glass: How nanoscale islands react under strain (2013, May 8) retrieved 5 May 2024 from <u>https://phys.org/news/2013-05-metallic-glass-nanoscale-islands-react.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.