


## The body electric: Researchers move closer to low-cost, implantable electronics

June 10 2013, by Pam Frost Gorder



A silicon circuit, coated with a protective layer and immersed in fluid that mimics human body chemistry. Researchers at The Ohio State University are developing low-cost electronic devices that work in direct contact with living tissue inside the body. Credit: Ohio State University.

(Phys.org) —New technology under development at The Ohio State University is paving the way for low-cost electronic devices that work in



direct contact with living tissue inside the body.

The first planned use of the technology is a sensor that will detect the very early stages of organ transplant rejection.

Paul Berger, professor of electrical and computer engineering and physics at Ohio State, explained that one barrier to the development of <a href="mailto:implantable sensors">implantable sensors</a> is that most existing electronics are based on silicon, and electrolytes in the body interfere with the <a href="mailto:electrical signals">electrical signals</a> in silicon circuits. Other, more exotic semiconductors might work in the body, but they are more expensive and harder to manufacture.

"Silicon is relatively cheap... it's non-toxic," Berger said. "The challenge is to bridge the gap between the affordable, silicon-based electronics we already know how to build, and the electrochemical systems of the human body."

In a paper in the journal *Electronics Letters*, Berger and his colleagues describe a new, patent-pending coating that that they believe will bridge that gap.

In tests, silicon circuits that had been coated with the technology continued to function, even after 24 hours of immersion in a solution that mimicked typical body chemistry.

The project began when Berger talked to researchers in Ohio State's Department of Biomedical Engineering, who wanted to build an insertable sensor to detect the presence of proteins that mark the first signs of <u>organ rejection</u> in the body. They were struggling to make a working protein sensor from <u>gallium nitride</u>.

"We already have sensors that would do a great job at detecting these proteins, but they're made out of silicon. So I wondered if we could



come up with a coating that would protect silicon and allow it to function while it directly touched blood, bodily fluids or living tissue," Berger said.

In the body, electrolytes such as sodium and potassium control nerves and muscles and maintain hydration. They do this by carrying a positive or negative electric charge that spurs important chemical reactions. But those same charges make the electrolytes attractive to silicon, which will readily absorb them. Once inside, the charges alter the electronic behavior of the silicon so that the readings of a sensor can't be trusted.

In the study, Berger's team tested whether electrolytes could be blocked from entering silicon with a layer of aluminum oxide.

The researchers submerged the coated test sensors in fluid for up to 24 hours, removed them from the solution, and then ran a voltage across them to see if they were working properly. The tests showed that the oxide coating effectively blocked electrolytes from the solution so the sensors remained fully functional.

Once developed, a device using this technology could detect certain proteins that the body produces when it's just beginning to reject a transplanted organ. Doctors would insert a needle into the patient's body near the site of the implanted organ. Silicon sensors on the needle would detect the protein, and doctors would know how to tailor the patient's dosage of anti-rejection drugs based on the sensor readings.

The work represents a first step toward fabricating devices that could be implanted in the body long-term, Berger said.

Though the current study describes a <u>silicon</u> sensor coated with aluminum oxide, he envisions that other devices could utilize coatings made from other materials such as titanium. Such coatings could even be



tailored to boost the performance of sensors or other biomedical devices.

In particular, Berger sees a potential use for coated polymer semiconductors that goes beyond sensing chemicals in the body. He suspects that such semiconductors could replace nerves in the body that have been damaged by disease or injury.

"We could replace a damaged nerve with an artificial neuron and restore functionality immediately, and that's a really exciting possibility," he said.

Berger's team is working with Ohio State researchers Tom Rosol, professor of veterinary biosciences, and Phillip Popovich, professor of neuroscience, to explore that possibility.

More information: <u>dx.doi.org/10.1049/el.2012.4283</u>

## Provided by The Ohio State University

Citation: The body electric: Researchers move closer to low-cost, implantable electronics (2013, June 10) retrieved 10 May 2024 from <a href="https://phys.org/news/2013-06-body-electric-closer-low-cost-implantable.html">https://phys.org/news/2013-06-body-electric-closer-low-cost-implantable.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.