

# Gannets don't eat off each other's plates, researchers show

June 6 2013

---



This image shows a gannet at the Bass Rock colony, near Dunbar, Scotland.  
Credit: Keith Hamer, University of Leeds

Colonies of gannets maintain vast exclusive fishing ranges despite doing nothing to defend their territory from rival colonies, scientists have discovered.

A team of researchers led by the University of Leeds and the University of Exeter observed that northern gannets, which can fly hundreds of kilometres on a single fishing trip, avoided visiting the fishing grounds of gannets from neighbouring colonies.


The findings, published in the journal *Science*, could transform our understanding of animals' foraging patterns because individual gannets do nothing to enforce this territory or communicate its boundaries when out at sea. A bird entering from a neighbouring colony would be free to fly and fish unhindered.

Co-lead author Dr Ewan Wakefield, postdoctoral researcher in the University of Leeds' Faculty of Biological Sciences, said: "The accepted view is that exclusive foraging territories are associated with species such as ants, which aggressively defend the feeding areas around their colonies, but this opens the door to a completely new way of thinking about territory. We found the gannet colonies also had neatly abutting and clearly defined feeding areas. Gannets may be a byword for gluttony but, clearly, they don't eat off each other's plates."

Researchers from more than 14 institutions in the UK, Ireland and France tracked the flights of nearly 200 northern gannets flying from 12 colonies around the British Isles.

Rather than seeing criss-crossing flight paths as the birds headed out from their colonies, they found themselves plotting a strictly segregated map. The most striking example was seen off the west coast of Ireland where gannets from two colonies, Bull Rock and Little Skellig, are within sight of each other yet head off in different directions.

The explanation has nothing to do with territorial behaviour, but instead seems to be a matter of mathematics reinforced by the culture of colonies.



Europe's largest seabird, the gannet, does not exhibit territorial behaviour when at sea. However, research led by the University of Leeds and the University of Exeter shows they maintain clearly defined fishing grounds. The finding has fundamental implications for our understanding of the way animals forage.

Credit: Ewan Wakefield, University of Leeds

Dr Thomas Bodey, postdoctoral researcher at the University of Exeter and joint-lead author of the study, explained: "Gannets get their chance when shoals of fish are forced to the surface, often by predatory whales and dolphins, but when the gannets start plunging into the water and feeding on a shoal, the fish start diving. You have to be one of the first

gannets to get there and that is where the maths comes in: if you go into an area that is being used by birds from a closer colony, there is a higher chance that individuals from that colony will be there first."

The same applies when waste is being thrown off the backs of trawlers, another key feeding opportunity for gannets.

Cultural transmission within the colonies then seems to reinforce the geographical calculus.

"Gannets readily follow each other when at sea. Finding such separation between colonies, even when visible from each other, indicates that competition for food cannot be the only explanation and suggests cultural differences between colonies may be important. As with humans, birds have favoured routes to travel, and if new arrivals at a colony follow experienced old hands then these patterns can quickly become fixed, even if other opportunities potentially exist," Dr Bodey said.

The northern gannet is Europe's largest seabird, with a wingspan of around 2m, and nests on steep cliffs and rocky islands. Attaching the matchbox-sized satellite transmitters and GPS loggers used to track the birds was sometimes a major challenge.

At the biggest mainland UK colony at Bempton Cliffs in East Yorkshire, a military abseiling team from the Joint Services Mountain Training Wing was called in to help.

The UK supports between 60 -70 per cent of the world's northern gannets and the discovery that [colonies](#) depend on particular sea areas has implications for the location of marine protected areas and offshore energy development.

The research also has wide ranging implications for our understanding of animal behaviour. Co-author Dr Keith Hamer, Reader in Animal Ecology in the University of Leeds' Faculty of [Biological Sciences](#), said: "We knew that species like ants that forage over short distances show segregation, but now we find that segregation not only occurs in gannets but that it is there just as strongly as in ants. That immediately opens the door to asking how many other species that we assumed would not show segregation actually do. There is no reason to believe that [gannets](#) are unique."

Professor Stuart Bearhop, Professor of Animal Ecology at the University of Exeter, said: "We understand an awful lot about what these seabirds do on land, but until recently we knew shockingly little about what they do at sea. The technology is now allowing us to leave the coast with them and we are discovering more and more of these amazing and unexpected patterns."

**More information:** The full paper, Ewan D. Wakefield, Thomas W. Bodey, et al. "Space partitioning without territoriality in gannets," is published in *Science* [DOI: 10.1126/science.1236077](https://doi.org/10.1126/science.1236077) on June 6.

Provided by University of Leeds

Citation: Gannets don't eat off each other's plates, researchers show (2013, June 6) retrieved 19 May 2024 from <https://phys.org/news/2013-06-gannets-dont-plates.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--