

Small satellites soar in high-altitude demonstration

June 21 2013, by Anna Heiney



The Garvey Spacecraft Corporation's Prospector 18 rocket lifts off, carrying its payload of CubeSats. Despite a hard landing, all four satellites were recovered. Credit: NASA/Dimitri Gerondidakis

(Phys.org) —Four tiny spacecraft soared over the California desert June 15 in a high-altitude demonstration flight that tested the sensor and equipment designs created by NASA engineers and student launch teams.



The satellites, known as CubeSats, lifted off from the Friends of Amateur Rocketry launch site in the <u>Mojave Desert</u> aboard a Prospector 18 rocket, built by Garvey Spacecraft Corp. of Long Beach.

Data recorded by the CubeSats' onboard sensors during Saturday's <u>flight</u> <u>test</u> will help characterize the environment and loads the small satellites encountered during flight—information that's critical to the scientists and engineers developing similar spacecraft for future missions.

CubeSats are 4-inch cubes that pack a lot of capability into their small size. While they typically fly as secondary payloads on larger missions involving bigger spacecraft and rockets, the goal is to eventually have the option of launching them as the primary payload on smaller rockets.

Saturday's flight test was a critical step forward in the development of such missions.

Test team personnel reported to the launch site as the sun began to rise. At 10:52 a.m. Pacific Time, the Prospector rocket's single liquid-fueled engine ignited and the vehicle quickly rose above the desert landscape, reaching a peak altitude of about 9,000 feet. The vehicle's <u>parachutes</u> released prematurely, but the rocket continued on its path, coasting and tumbling, ultimately landing on its side with its pint-sized <u>payload</u> still tucked safely inside.





Students and engineers participate in a prelaunch briefing before liftoff of the Prospector 18 rocket. Credit: NASA/Dimitri Gerondidakis

But the early parachute deployment and hard landing are not considered setbacks, according to Garrett Skrobot, the <u>High Altitude</u> Demonstration Mission's project manager at NASA's <u>Kennedy Space Center</u>.

"We consider it a success because we were able to test out all the experiments, and this flight also proves the versatility of the experiments we were flying," Skrobot said. "What we learned was that we're able to fly four payloads with new hardware in an unexpected environment—and they performed."

"The whole point is to test these systems before going on to the next vehicle," he added.

Each of the four CubeSats was designed to test or evaluate different



aspects of the flight. All were retrieved from the rocket after landing, and team members already are working to recover as much data as possible from the satellites' memory cards.

Two student-built spacecraft were designed to work together to record the <u>launch</u> environment. CP-9, built by the California Polytechnic State University in San Luis Obispo, and StangSat, created by students at Merritt Island High School in Florida, also were planned to demonstrate the ability to communicate with each other through an onboard Wi-Fi connection.



The student-designed RUBICS-1 payload is in the foreground before the CubeSats are loaded into the body of the Prospector rocket. Credit:



NASA/Dimitri Gerondidakis

The duo, which endured the rough ride with minimal damage, are slated to fly aboard a Falcon 9 rocket during SpaceX's fifth commercial resupply services mission to the International Space Station.

The Rocket University Broad Initiatives CubeSat, or RUBICS-1, was contributed by Kennedy employees participating in the center's Rocket University program. The spacecraft was instrumented to check out the performance of a new, lightweight version of the satellites' carrier, built by Tyvak of Irvine, Calif.

PhoneSat, built by NASA's Ames Research Center in California, takes advantage of smartphones' power, memory and camera technologies, compact size, and off-the-shelf availability for the development of lowcost spacecraft. RUBICS and PhoneSat received data during the flight.

Participants will take advantage of the learning opportunity afforded by Saturday's flight anomaly to assess what they need to change as they recondition the satellites for upcoming missions.

"I asked all the teams if they'd want to fly again in four to six months," Skrobot said. "The answer was a unanimous 'yes.' "

Provided by NASA

Citation: Small satellites soar in high-altitude demonstration (2013, June 21) retrieved 7 July 2024 from <u>https://phys.org/news/2013-06-small-satellites-soar-high-altitude.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.