

Evolution of monogamy in humans the result of infanticide risk

July 29 2013

The threat of infants being killed by unrelated males is the key driver of monogamy in humans and other primates. The study by academics from UCL, University of Manchester, University of Oxford and University of Auckland, is the first to reveal this evolutionary pathway for the emergence of pair living.

The team also found that following the emergence of <u>monogamy</u> males are more likely to care for their <u>offspring</u>. Where fathers care for young, not only can they protect infants from other males, but they can also share the burden of childcare.

Dr Kit Opie (UCL Anthropology), lead author of the study published in the journal *PNAS*, said: "This is the first time that the theories for the evolution of monogamy have been systematically tested, conclusively showing that <u>infanticide</u> is the driver of monogamy. This brings to a close the long running debate about the origin of monogamy in <u>primates</u> ."

Infants are most vulnerable when they are fully dependent on their mother because females delay further conception while nursing slowly developing young. This leads to the threat from unrelated males, who can bring the next conception forward by killing the infant. Sharing the costs of raising young both shortens the period of infant dependency and can allow females to reproduce more quickly.

An additional benefit of sharing the burden of care is that females can



then have more costly young. The considerable cognitive requirements of living in complex societies has resulted in many primate species having large, and costly, brains.

Growing a big <u>brain</u> is expensive and requires that offspring mature slowly. Caring fathers can help alleviate the burden of looking after young with long childhoods and may explain how large brains could evolve in humans.

Humans, uniquely among primates, have both very long childhoods and mothers that can reproduce quickly relative to other great apes. Until now, a number of <u>hypotheses</u> have been proposed to explain the evolution of monogamy among <u>mammals</u>. These include:

- Paternal care, when the cost of raising offspring is high
- Guarding solitary females from rival males
- Infanticide risk, where males can provide protection against rival males

To uncover the evolutionary pathway the team gathered data across 230 primate species. These were then plotted on a family tree of the relationships between those species. Bayesian methods were used to rerun evolution millions of times across the family tree to discover whether different behaviours evolved together across time, and if so, which behaviour evolved first.

This then allowed the team to determine the timing of trait evolution and show that male infanticide is the cause of the switch from a multi-male mating system to monogamy in primates, while bi-parental care and solitary ranging by females are a result of monogamy, not the cause.

Dr Susanne Shultz, from the University of Manchester, said: "What makes this study so exciting is that it allows us to peer back into our



evolutionary past to understand the factors that were important in making us human. Once fathers decide to stick around and care for young, mothers can then change their reproductive decisions and have more, brainy offspring."

More information: Male infanticide leads to social monogamy in primates , <u>www.pnas.org/cgi/doi/10.1073/pnas.1307903110</u>

Provided by University College London

Citation: Evolution of monogamy in humans the result of infanticide risk (2013, July 29) retrieved 17 July 2024 from <u>https://phys.org/news/2013-07-evolution-monogamy-humans-result-infanticide.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.