

A fatigue detection device to help keep your eyes on the road

July 15 2013



Joonas Tikkanen / Flickr Creative Commons


An EPFL student has developed a video analysis algorithm able to estimate the level of a driver's fatigue based on the degree of eyelid closure. PSA Peugeot Citroën, a project partner, has built a prototype in order to test it in real driving conditions.

Nearly a third of highway accidents are caused by fatigue. Nowadays, there exist several attention detection systems for drivers, e.g.: based on the loss of vehicle control. Marina Zimmermann, as part of her master thesis in electrical and [electronic engineering](#) and in partnership with PSA Peugeot Citroën, has focused directly on drivers and their state of [wakefulness](#). She developed an algorithm able to measure the degree of eyelid closure by using a single camera and thus avoiding [invasive](#)

[methods.](#)

One of the indicators most frequently used to determine the state of a driver's fatigue is "PERCLOS" (percentage of eye closure). It measures the percentage of time that the pupil is at least 80% covered by the eyelid during a predetermined timespan. The challenge was to measure this indicator in real time, keeping the drivers' eyes on the [viewfinder](#) and bearing in mind that they can turn their head, wear glasses, drive during the night, cross through tunnels etc.

The Signal Processing Laboratory 5 (LTS5) at EPFL is specialized in [face recognition](#), monitoring and analysis techniques and has man-machine interfaces capable of keeping track of a driver's face in real time. This is achieved by placing a small [infrared camera](#) behind the wheel. In order to carry out the project -initiated by the Transportation Center and carried out at LTS5- Marina Zimmermann developed an eye-analyzing module by creating an algorithm able to disregard possible light effects as well as the drivers' different eye morphologies. She then established a 3D profiling of the eye and eyelids so as to distinguish an open one eye from a closed one. Lastly, she had to optimize her methodology to make it possible for it to run in on-board vehicle computers with limited computing power in real-time conditions.



3D representation of an opened and closed eye - the detector is able to interpret them

Industrialization potential

The first tests carried out under real conditions showed good reliability. However, the system remains highly dependent on the frame rate as unconscious blinks of the eye occur within 100 to 150 milliseconds. "The proposed algorithm is sufficiently robust and simple to run on a standard camera. It will be able to combine the degree of eyelid-opening information together with other data - like yawning or head tilt- provided by the already existing face tracking system, "said Jean-Philippe Thiran, head of LTS5 and supervisor of the student's master project.

As it stands, the project's industrialization potential has already caught the eye of PSA Peugeot Citroën, project partner, which will integrate the device into a first stage test vehicle for evaluating its performance in real conditions.

Provided by Ecole Polytechnique Federale de Lausanne

Citation: A fatigue detection device to help keep your eyes on the road (2013, July 15) retrieved 18 April 2024 from <https://phys.org/news/2013-07-fatigue-device-eyes-road.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.