

Laser communications set for Moon mission

July 30 2013



ESA's Optical Ground Station (OGS) is 2400 m above sea level on the volcanic island of Tenerife. Visible green laser beams are used for stabilising the sending and receiving telescopes on the two islands. The invisible infrared single photons used for quantum teleportation are sent from the neighbouring island La Palma and received by the 1 m Telescope located under the dome of the OGS. Initial experiments with entangled photons were performed in 2007, but teleportation of quantum states could only be achieved in 2012 by improving the performance of the set-up. Aside from inter-island experiments for quantum communication and teleportation, the OGS is also used for standard laser communication with satellites, for observations of space debris or for finding new asteroids. The picture is a multiple exposure also including Tenerife's Teide volcano and the Milky Way in the background. Credit: IQOQI Vienna, Austrian Academy of Sciences

An advanced laser system offering vastly faster data speeds is now ready for linking with spacecraft beyond our planet following a series of crucial ground tests. Later this year, ESA's observatory in Spain will use the laser to communicate with a NASA Moon orbiter.

The laboratory testing paves the way for a live space demonstration in October, once NASA's Lunar Atmosphere and Dust Environment Explorer – LADEE – begins orbiting the Moon.

LADEE carries a terminal that can transmit and receive pulses of [laser](#) light. ESA's Optical Ground Station on Tenerife will be upgraded with a complementary unit and, together with two US ground terminals, will relay data at unprecedented rates using infrared light beams at a wavelength similar to that used in fiber-optic cables on Earth.

"The testing went as planned, and while we identified a number of issues, we'll be ready for LADEE's mid-September launch," says Zoran Sodnik, manager for ESA's Lunar Optical Communication Link project.

"Our ground station will join two NASA stations communicating with the LADEE Moon mission, and we aim to demonstrate the readiness of optical communication for future missions to Mars or anywhere else in the Solar System."

Testing new European technology

The testing took place in July at a Zurich, Switzerland, facility owned by ESA's industrial partner RUAG and made use of a new detector and decoding system, a ranging system and a transmitter.

A NASA team, supported by the Massachusetts Institute of Technology,

Lincoln Laboratory and the Jet Propulsion Laboratory, brought over their laser terminal simulator, while ESA together with RUAG and Axcon of Denmark set up the European equipment to test compatibility between the two sets of hardware.

"This interagency optical compatibility test was the first of its kind, and it established the uplink, downlink and the ranging measurement," says ESA's Klaus-Juergen Schulz, responsible for ground station systems at the European Space Operations Centre, Darmstadt.

The first laser link-up with LADEE is expected to be attempted four weeks after launch, around mid-October.

Laser pathways to future space communication

Laser communications at near-infrared wavelengths may be the way of the future when it comes to downloading massive amounts of data from spacecraft orbiting Earth, Mars or even more distant planets.

These units are lighter, smaller and need less power than today's radio systems, promising to cut mission costs and provide opportunities for new science payloads.

Provided by European Space Agency

Citation: Laser communications set for Moon mission (2013, July 30) retrieved 21 March 2023 from <https://phys.org/news/2013-07-laser-moon-mission.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.