

Research that holds water

July 4 2013, by Nicholas Nussen



Agar/PAM DN hydrogels show extraordinary mechanical and free-shapeable properties: (a) bending; (b) knotting; (c) compression; (d) (stretching); (e) hexagon; (f) teddy bear gel under compression; and (g) teddy bear gel after force release.

(Phys.org) —It's squishy, synthetic, flexible, mostly water and almost as



tough as rubber. No, it's not "flubber"—it's a hydrogel, and now scientists at The University of Akron are exploring new biomedical uses for this polymer-based product.

Dr. Jie Zheng, associate professor of chemical and biomolecular engineering, and Dr. Robert Weiss, Hezzleton E. Simmons professor and chair of polymer engineering, are among the most recent to contribute to the growing research of hydrogels, the gelatinous substance that, because of its toughness and plasticity, has several biomedical applications, including <u>cartilage repair</u>, implants for minimally invasive surgery and drug delivery.

Simplifying production process

Since, as Zheng says, "all existing methods to prepare double-network hydrogels involve multiple-step processes, which are tedious and timeconsuming," Zheng and his team developed a simple, efficient and onepot method (in which reactions occur in one as opposed to several pots) to synthesize double-network hydrogels—that is, hydrogels composed of two networks of <u>polymer chains</u>, one rigid, the other ductile.

Zheng not only made the synthesis of these hydrogels more efficient—he also made the hydrogels tougher.

Most hydrogels are weak and brittle, "suffering from low <u>mechanical</u> <u>strength</u>, poor toughness, and/or limited extensibility and recoverability," Zheng says.

His hydrogels, however, "exhibit high mechanical properties, excellent recoverable properties, and a unique, free-shapeable property," he says, making them promising replacements for load-bearing <u>soft tissues</u> like cartilage, tendon, muscle and blood vessels.



Weiss also has synthesized a tougher brand of <u>hydrogel</u>, a "shape memory hydrogel," which can be bent and stretched and fixed into temporary shapes. When exposed to an external stimulus, such as temperature, light, moisture, or an electric field, <u>shape memory</u> <u>polymers</u> recover their original, permanent shape.

Useful shape-shifters

Weiss's shape memory hydrogels are thermally actuated, meaning they stretch and change shape when heated, and they retain this temporary shape when cooled.

Biocompatible, shape memory hydrogels have the potential to be used for minimally <u>invasive surgery</u> and drug delivery, Weiss says.

"Shape memory may be useful for deployment of hydrogels in <u>biomedical applications</u> using less invasive methods ... for example, one can implant a compact form of the device that would deploy into the usable shape after it is implanted," he says.

For example, a small form of the shape memory hydrogel may be inserted into the body, where, upon absorbing bodily fluids, it expands into the desired shape of the implant, thus filling a wound or replacing tissue.

The permeable hydrogels can also be loaded with drugs and placed into the body, where the sponge-like gel biodegrades and releases the drugs from its pores.

Weiss and co-author Jinkun Hao published their findings, "<u>Mechanically</u> <u>Tough, Thermally Activated Shape Memory Hydrogels</u>," on Jan. 7, 2013, in *ACS Macro Letters*.



Zheng's method has received provisional approval for a patent, and his paper, "<u>A Robust, One-Pot Synthesis of Highly Mechanical and</u> <u>Recoverable Double-Network Hydrogels Using Thermo-Reversible Sol-Gel Polysaccharide</u>," co-authored by Zheng and his UA research colleagues, Qiang Chen, Lin Zhu, Chao Zhao and Qiuming Wang, was published June 14, 2013, online in *Advanced Materials*.

Provided by University of Akron

Citation: Research that holds water (2013, July 4) retrieved 3 May 2024 from <u>https://phys.org/news/2013-07-research-that-holds-water.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.