

# The fastest sperm may not be best

August 14 2013

---



For sea squirts the key to a long and happy life is to be fertilized not by a fast sperm, but by one that stands the test of time, Dr Angela Crean, from the Evolution and Ecology Research Centre at the University of NSW, has found.

And her discovery, published in *PLoS ONE*, also shows for the first time


that the influence of sperm extends well beyond the moment of conception. If further studies demonstrate the same effects in [human sperm](#), the finding will change some of the assumptions used in IVF practice.

Sea squirts are [small animals](#) that live on the [sea floor](#) – including in and around Sydney Harbour. They attach themselves to rocks, piers, and ships and filter the surrounding water for their food. They're chordates – more closely related to humans and other [vertebrates](#), than to invertebrates such as [sponges](#) and coral.

Male and female [sea squirts](#) (*Styela plicata*) breed by broadcast spawning. Large numbers of eggs and sperm are released into the water, with the sperm immediately racing towards their targets. Fertilisation can occur within minutes, or within hours.

Angela's research revealed a remarkable fact. Eggs penetrated within minutes by speedy sperm tended to be either non-viable, or produced [larvae](#) which died young. The strongest, fittest, longest lived sea squirts were those fertilised by sperm which swam for about an hour before reaching the egg.

"This is surprising because it suggests that a sperm's influence on offspring extends beyond just the DNA it carries," said Angela, an ARC DECRA fellow.



"This finding has the potential to change the way we view and study [inheritance](#). It is unknown how widespread this phenomenon is but, given the obvious implications for IVF technologies, it will be exciting to test if sperm and offspring quality are linked in other species."

Angela's findings are potentially game-changing. Until now, the [standard model](#) of reproduction assumed that the influence of a sperm ended at the moment it transferred the male genome into an egg. The sea squirt study suggests that other characteristics of an individual sperm – in addition to the genes – can exert lifelong influence.

"The reproductive mode of the sea squirt is obviously very different to the human one, so you cannot draw any direct comparisons," she said.

"But it's an area that could be looked at to improve outcomes. In human assisted reproduction there are a lot of early embryonic deaths, and differences in sperm characteristics could be one factor influencing that."

If further studies show the same effects in human sperm, it will be a very valuable finding for the increasingly popular assisted reproduction method known as intracytoplasmic sperm injection (ICSI). This method involves injecting a single sperm directly into an egg – and it might just turn out that the best sperm for the job is the slowest and easiest to catch.

The research was published in *PLoS One* on 14 November 2012 but not reported at that time. The article is online [here](#). It was rediscovered and presented to the public for the first time thanks to Fresh Science, a national program sponsored by the Australian Government through the Inspiring Australia initiative. Angela is one of twelve national winners.

Provided by Science in Public

Citation: The fastest sperm may not be best (2013, August 14) retrieved 2 May 2024 from <https://phys.org/news/2013-08-fastest-sperm.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--