


Flatworms lose their heads but not their memories: Study finds memories stored outside the brain

August 13 2013



Automated testing apparatus made it possible to track how quickly and for how long each flatworm overcame its aversion to the blue light in order to get food.

(Phys.org) —Tufts University biologists using new, automated training and testing techniques have found that planarian flatworms store memory outside their brains and, if their heads are removed, can apparently imprint these memories on their new brains during regeneration.

The work, published online in the *Journal of Experimental Biology*, can help unlock the secrets of how memories can be encoded in living

tissues, noted Michael Levin, Ph.D., Vannevar Bush professor of biology at Tufts and senior author on the paper.

"As [bioengineering](#) and biomedicine advance, there's a great need to better understand the dynamics of memory and the brain-body interface. For example, what will happen to stored memory if we replace big portions of aging brains with the progeny of fresh [stem cells](#)?" said Levin, who directs the Center for Regenerative and Developmental Biology in Tufts' School of Arts and Sciences.

Planaria have a remarkable capacity to quickly re-grow new body parts, and decades-old research on planarian learning had suggested that memory can survive brain regeneration. Difficulties inherent in complex and tedious manual worm training experiments contributed to planaria falling out of favor as a model for such research, but the new automated training system developed by the Tufts researchers may reverse that.

"We now have a reliable, state-of-the-art approach that moves beyond past controversies to identify quantitative, objective, high-throughput protocols for studying planarian [long-term memory](#) capabilities," said Tal Shomrat, Ph.D., first author on the paper. A former postdoctoral associate with Levin, Shomrat is now a [postdoctoral researcher](#) at the Hebrew University of Jerusalem. "I believe that investigating this unique animal that displays relatively complex behavior and can regenerate its entire brain in only a few days will provide answers to the enigma of acquisition, storage and retrieval of memories," he added.

Toward the light

Shomrat and Levin focused their attention on planaria of the species *Dugesia japonica*. One planarian group lived in containers with a textured floor while the other was housed in smooth-floored Petri dishes. The worms, which naturally avoid light, were then tested to see how

readily they would eat liver in an illuminated quadrant on the bottom of a rough-textured dish.

Automated video tracking and subsequent computer analysis of the worms' movements (image above) showed that the group familiarized to the rough-floored dishes overcame aversion to the light significantly more quickly and spent more time feeding in the illuminated space than did the non-familiarized group.

Off with their heads

Both groups of worms were then decapitated and housed in a smooth-floored environment while their heads regenerated. Two weeks later, the fully regenerated segments were again tested. Worms regenerated from the familiarized group were slightly but not significantly quicker to feed in the lighted part of the container. However, when both groups of worms were given a brief refresher session of feeding in the textured environment, then removed and retested four days later, the planaria generated from familiarized segments were significantly quicker to feed than those regenerated from unfamiliarized worms—showing that they retained recognition of the link between this type of surface and a safe feeding environment.

Exactly how this memory was retained and recalled remains unclear. Shomrat and Levin suggest that traces of memory of the learned behavior were stored outside the brain, and imprinted on the newly-regenerated brain through mechanisms not yet identified. More investigation is needed to determine the basis for these interactions between the regenerating central nervous system and remote somatic tissues, as well as the mechanism by which specific memories are encoded in physical changes within the brain and body.

More information: "An automated training paradigm reveals long-

term memory in planaria and its persistence through head regeneration"
Journal of Experimental Biology jeb.087809 First posted online July 2,
2013, [DOI: 10.1242/jeb.087809](https://doi.org/10.1242/jeb.087809)

Provided by Tufts University

Citation: Flatworms lose their heads but not their memories: Study finds memories stored outside the brain (2013, August 13) retrieved 3 May 2024 from
<https://phys.org/news/2013-08-flatworms-memories-brain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--