

Ice ages only thanks to feedback

August 7 2013



Ice ages and warm periods have alternated fairly regularly in the Earth's history: the Earth's climate cools roughly every 100,000 years, with vast areas of North America, Europe and Asia being buried under thick ice sheets. Eventually, the pendulum swings back: it gets warmer and the ice masses melt. While geologists and climate physicists found solid evidence of this 100,000-year cycle in glacial moraines, marine sediments and arctic ice, until now they were unable to find a plausible explanation for it.

Using [computer simulations](#), a Japanese, Swiss and American team including Heinz Blatter, an emeritus professor of physical climatology at ETH Zurich, has now managed to demonstrate that the [ice-age](#)/warm-period interchange depends heavily on the alternating influence of

[continental ice sheets](#) and [climate](#).

"If an entire continent is covered in a layer of ice that is 2,000 to 3,000 metres thick, the topography is completely different," says Blatter, explaining this feedback effect. "This and the different albedo of glacial ice compared to ice-free earth lead to considerable changes in the surface temperature and the [air circulation](#) in the atmosphere."

Moreover, large-scale glaciation also alters the sea level and therefore the [ocean currents](#), which also affects the climate.

Weak effect with a strong impact

As the scientists from Tokyo University, ETH Zurich and Columbia University demonstrated in their paper published in the journal *Nature*, these feedback effects between the Earth and the climate occur on top of other known mechanisms. It has long been clear that the climate is greatly influenced by insolation on long-term time scales. Because the Earth's rotation and its orbit around the sun periodically change slightly, the insolation also varies. If you examine this variation in detail, different overlapping cycles of around 20,000, 40,000 and 100,000 years are recognisable (see box).

Given the fact that the 100,000-year insolation cycle is comparatively weak, scientists could not easily explain the prominent 100,000-year-cycle of the ice ages with this information alone. With the aid of the feedback effects, however, this is now possible.

Simulating the ice and climate

The researchers obtained their results from a comprehensive computer model, where they combined an [ice-sheet](#) simulation with an existing climate model, which enabled them to calculate the glaciation of the

northern hemisphere for the last 400,000 years. The model not only takes the astronomical parameter values, ground topography and the physical flow properties of glacial ice into account but also especially the climate and feedback effects. "It's the first time that the glaciation of the entire northern hemisphere has been simulated with a climate model that includes all the major aspects," says Blatter.

Using the model, the researchers were also able to explain why ice ages always begin slowly and end relatively quickly. The ice-age ice masses accumulate over tens of thousands of years and recede within the space of a few thousand years. Now we know why: it is not only the surface temperature and precipitation that determine whether an ice sheet grows or shrinks. Due to the aforementioned feedback effects, its fate also depends on its size. "The larger the ice sheet, the colder the climate has to be to preserve it," says Blatter. In the case of smaller continental ice sheets that are still forming, periods with a warmer climate are less likely to melt them. It is a different story with a large ice sheet that stretches into lower geographic latitudes: a comparatively brief warm spell of a few thousand years can be enough to cause an ice sheet to melt and herald the end of an ice age.

Box: The Milankovitch cycles

The explanation for the cyclical alternation of ice and warm periods stems from Serbian mathematician Milutin Milankovitch (1879-1958), who calculated the changes in the Earth's orbit and the resulting insolation on Earth, thus becoming the first to describe that the cyclical changes in insolation are the result of an overlapping of a whole series of cycles: the tilt of the Earth's axis fluctuates by around two degrees in a 41,000-year cycle. Moreover, the Earth's axis gyrates in a cycle of 26,000 years, much like a spinning top. Finally, the Earth's elliptical orbit around the sun changes in a cycle of around 100,000 years in two respects: on the one hand, it changes from a weaker elliptical (circular)

form into a stronger one. On the other hand, the axis of this ellipsis turns in the plane of the Earth's orbit. The spinning of the Earth's axis and the elliptical rotation of the axes cause the day on which the Earth is closest to the sun (perihelion) to migrate through the calendar year in a cycle of around 20,000 years: currently, it is at the beginning of January; in around 10,000 years, however, it will be at the beginning of July.

Based on his calculations, in 1941 Milankovitch postulated that insolation in the summer characterises the ice and [warm periods](#) at sixty-five degrees north, a theory that was rejected by the science community during his lifetime. From the 1970s, however, it gradually became clearer that it essentially coincides with the climate archives in [marine sediments](#) and ice cores. Nowadays, Milankovitch's theory is widely accepted. "Milankovitch's idea that insolation determines the ice ages was right in principle," says Blatter. "However, science soon recognised that additional feedback effects in the climate system were necessary to explain [ice](#) ages. We are now able to name and identify these effects accurately."

More information: Abe-Ouchi A, Saito F, Kawamura K, Raymo ME, Okuno J, Takahashi K, Blatter H: Insolation-driven 100,000-year glacial cycles and hysteresis of ice-sheet volume. *Nature*, 2013, 190-193, [DOI: 10.1038/nature12374](https://doi.org/10.1038/nature12374)

Provided by ETH Zurich

Citation: Ice ages only thanks to feedback (2013, August 7) retrieved 24 April 2024 from <https://phys.org/news/2013-08-ice-ages-feedback.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.