


International research team discovers new mineral

August 5 2013



Qingsongite is a recently discovered mineral. Coesite and osbornite are also ultra-high pressure minerals. Credit: L. Dobrzhinetskaya, UC Riverside.

Geologists at the University of California, Riverside have discovered a new mineral, cubic boron nitride, which they have named "qingsongite."

The discovery, made in 2009, was officially approved this week by the

International Mineralogical Association.

The UC Riverside geologists, Larissa Dobrzhinetskaya and Harry Green in the Department of Earth Sciences, were joined by scientists at the Lawrence Livermore National Laboratory, the University of Maine and from institutions in China and Germany in making the discovery.

"The uniqueness of qingsongite is that it is the first [boron](#) mineral that was found to be formed at extreme conditions in deep Earth," Dobrzhinetskaya said. "All other known boron minerals are found at Earth's surface."

The mineral was found in the southern Tibetan mountains of China within chromium-rich rocks of the paleoceanic crust that was subducted to a depth of 190 miles and recrystallized there at a temperature of about 2372 degrees Fahrenheit and pressure of about 118430 atmospheres.

"About 180 million years ago the rocks were returned back to shallow levels of the Earth by plate tectonic processes leading to the closure of the huge Paleo-Thethys ocean—an ancient Paleozoic ocean—and the collision of India with the Asian lithospheric plate," Dobrzhinetskaya explained.

Until now, cubic boron nitride, created first in the laboratory in 1957, was known as an important technological material. Because its atomic structure bears resemblance to [carbon bonds](#) in diamond, it has high density and could be as hard as diamond.

To date, more than 4700 species of minerals have been recognized, with at least 100 proposals for new minerals and their names submitted each year to the International Mineralogical Association for approval.

Qingsongite was named after Qingsong Fang (1939?2010), a professor at the Institute of Geology, the Chinese Academy of Geological Sciences, who found the first diamond in the Tibetan chromium-rich rocks in the late 1970s, and contributed to the discovery of four new mineral species.

Provided by University of California - Riverside

Citation: International research team discovers new mineral (2013, August 5) retrieved 25 April 2024 from <https://phys.org/news/2013-08-international-team-mineral.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.