

Lowest temperature for life discovered

August 21 2013, by Harriet Jarlett



Scientists have pinpointed the lowest temperature at which simple life can live and grow.

The study, published in *PLoS One*, reveals that below -20 °C, single-celled organisms dehydrate, sending them into a vitrified – glass-like – state during which they are unable to complete their <u>life cycle</u>.

The researchers propose that, since the organisms cannot reproduce below this temperature, -20 °C is the lowest temperature limit for life on Earth.

Scientists placed single-celled organisms in a watery medium, and lowered the temperature. As the temperature fell, the medium started to turn into ice and as the ice <u>crystals</u> grew, the water inside the organisms seeped out to form more ice. This left the cells first dehydrated, and then



vitrified. Once a cell has vitrified, scientists no longer consider it living as it cannot reproduce, but cells can be brought back to life when temperatures rise again. This vitrification phase is similar to the state <u>plant seeds</u> enter when they dry out.

'The interesting thing about vitrification is that in general a cell will survive, where it wouldn't survive freezing, if you freeze internally you die. But if you can do a controlled vitrification you can survive,' says Professor Andrew Clarke of NERC's British Antarctic Survey , lead author of the study. 'Once a cell is vitrified it can continue to survive right down to incredibly low temperatures. It just can't do much until it warms up.'

More complex organisms are able to survive at lower temperatures because they are able to control the medium the cells sit in to some extent.

'Bacteria, unicellular <u>algae</u> and unicellular <u>fungi</u> – of which there are a huge amount in the world-are free-living because they don't rely on other organisms ,' Clarke explains.

'Everything else, like trees and animals and <u>insects</u>, has the ability to control the fluid that surrounds their internal cells. In our case it's blood and lymph. In a complicated organism the cells sit in an environment that the organism can control. Free-living <u>organisms</u> don't have this; if ice forms in the environment they are subject to all the stresses that implies.'

If a free-living cell cools too quickly it would be unable to dehydrate and vitrify; instead it would freeze and wouldn't survive.

This goes some way towards explaining why preserving food using deep freezing works. Most fridge freezers operate at a temperature of nearly



-20 °C . This study shows that this temperature works because moulds and <u>bacteria</u> are unable to multiply and spoil food.

'We were really pleased that we had a result which had a wider relevance, as it provided a mechanism for why domestic freezers are as successful as they are,' Clarke says.

The scientists believe that the temperature limit they have discovered is universal, and below -20°C simple forms of unicellular life can grow on Earth. During the study they looked at a wide range of single-celled organismsthat use a variety of different energy sources, from light to minerals, to metabolise. Every single type vitrified below this temperature.

'When you have a single-celled organism and cool it until ice forms in the external medium, in every case we looked at the cells dehydrated and then vitrified between -10°C and -25 °C. There were no exceptions,' explains Clarke.

More information: Clarke A, et al. (2013) A Low Temperature Limit for Life on Earth. *PLoS ONE* 8(6): e66207. DOI: 10.1371/journal.pone.0066207

This story is republished courtesy of <u>Planet Earth online</u>, a free, companion website to the award-winning magazine Planet Earth published and funded by the Natural Environment Research Council (NERC).

Provided by PlanetEarth Online

Citation: Lowest temperature for life discovered (2013, August 21) retrieved 28 April 2024 from <u>https://phys.org/news/2013-08-lowest-temperature-life.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.