


Improved software algorithm enables more efficient modeling and development of computer hard drives of the future

August 28 2013



The triangular mesh used to model the properties of a hard disk read/write head. The colors represent the pressure profile of the head; red indicates areas of high pressure. Credit: A*STAR Data Storage Institute

Operating a hard disk drive is as complex as keeping a superfast car on the road. Read/write heads within the hard disk must process a huge amount of data at high speed. Controlling the motion of the slider housing these heads is crucial: if the slider crashes, it could destroy the hard disk.

Researchers at the A*STAR Data Storage Institute (DSI) in Singapore have now developed a [computational algorithm](#) for studying the properties of the slider in a hard drive that is faster than existing algorithms. Instead of taking days to finish, [dynamic simulations](#) using

the new algorithm take only an hour, notes Wei Hua from the research team. "It greatly improves our simulation and research abilities," he adds.

A read head typically moves across the disk surface of a hard drive at more than 7,000 revolutions per minute. The flying height of this fast-moving head is as low as 2 [nanometers](#) from the surface of the disk, some 50,000 times less than the width of a human hair. Controlling this motion is not easy, notes Hua. "The slider housing the read/write head flies on the fast-rotating hard drive disk, owing to a very thin layer of air. This air bearing pushes the slider upward, while a suspension bearing pushes the slider down toward the disk."

Thermal effects control the distance of the head to the surface when it is being pushed down. To understand these effects, and other factors that control disk and head movements at high speed, fine-grained [computer simulations](#) are necessary.

Hua and co-workers expanded the DSI's ABSolution air bearing [simulation software](#) for faster and more precise modeling. Instead of dividing the [hard drive](#) slider into a structured rectangular mesh typically used to aid calculations, the researchers used an unstructured triangular mesh that accurately captures the geometry of the read/write head (see image). Moreover, the algorithm better implements the dynamic effects that occur in drive heads, meaning that overall the code works faster and more efficiently.

This modeling software should prove useful in the future development of drive heads, Hua notes. Modeling the interaction between the slider and the rest of the drive is also important. "Influences such as those from the air suspension and disk effects are now being considered," he explains. Hua and co-workers will use the improved algorithm to model slider properties that were almost impossible to simulate using the previous

versions.

More information: Hua, W., et al. A fast implicit algorithm for time-dependent dynamic simulations of air bearing sliders, *Journal of Tribology* 134, 031901 (2012). [tribology.asmedigitalcollectio ...
px?articleid=1469093](https://tribology.asmedigitalcollection.asme.org/article-abstract/134/3/031901)

Provided by Agency for Science, Technology and Research (A*STAR), Singapore

Citation: Improved software algorithm enables more efficient modeling and development of computer hard drives of the future (2013, August 28) retrieved 5 May 2024 from <https://phys.org/news/2013-08-software-algorithm-enables-efficient-hard.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
