

## Australian tarantula venom contains novel insecticide against agricultural pests

September 11 2013



A new protein discovered in the venom of Australian tarantulas can kill prey insects that consume the venom orally. Credit: Margaret C. Hardy


Spider venoms are usually toxic when injected into prey, but a new protein discovered in the venom of Australian tarantulas can also kill



prey insects that consume the venom orally. The protein is strongly insecticidal to the cotton bollworm, an important agricultural pest, according to research published September 11 in the open access journal *PLOS ONE* by Glenn King and Maggie Hardy from the Institute of Molecular Bioscience at the University of Queensland, Australia, and colleagues from other institutions.

The small protein, named orally active insecticidal peptide-1 (OAIP-1), was found to be highly toxic to insects that consumed it, with potency similar to that of the synthetic insecticide imidacloprid. Cotton bollworm, a pest that attacks crop plants, was more sensitive to OAIP-1 than termites and mealworms, which attack stored grains.





Author Margaret C. Hardy milks an Australian tarantula. Credit: Margaret C. Hardy

These and other <u>insect pests</u> reduce global crop yields by 10-14% annually and damage 9-20% of stored <u>food crops</u>, and several species are resistant to available insecticides. Isolated peptides from the venom of spiders or other venomous insectivorous animals, such as centipedes and scorpions, may have the potential to serve as bioinsecticides. Alternately, the authors suggest the genes encoding these peptides could be used to



engineer insect-resistant plants or enhance the efficacy of microbes that attack insect pests. King elaborates, "The breakthrough discovery that spider toxins can have oral activity has implications not only for their use as bioinsecticides, but also for spider-venom peptides that are being considered for therapeutic use."

**More information:** Hardy MC, Daly NL, Mobli M, Morales RAV, King GF (2013) Isolation of an Orally Active Insecticidal Toxin from the Venom of an Australian Tarantula. *PLoS ONE* 8(9): e73136. <u>DOI:</u> 10.1371/journal.pone.0073136

## Provided by Public Library of Science

Citation: Australian tarantula venom contains novel insecticide against agricultural pests (2013, September 11) retrieved 17 May 2024 from <a href="https://phys.org/news/2013-09-australian-tarantula-venom-insecticide-agricultural.html">https://phys.org/news/2013-09-australian-tarantula-venom-insecticide-agricultural.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.