

New rat genus discovered in the birthplace of the theory of evolution

September 20 2013



Credit: Jon Fjelså

A prominent tuft of spiny hair on the back, a white tail tip and three pairs of teats represent the unique set of characteristics describing a new genus of rat which has been discovered in the Moluccan province of Indonesia. This region had a profound influence on the British Naturalist Alfred Russel Wallace who independently developed the theory of evolution alongside Charles Darwin. The international team of zoologists was led by the Museum Zoologicum Bogoriense in Indonesia and the Center for Macroecology, Evolution and Climate at the University of Copenhagen.

One hundred years after the death of Sir Alfred Russel Wallace, an international team of zoologists has discovered a new genus of mammal in the Halmahera Island in Indonesia. It is located in Wallacea, an Eastern Indonesian region named after the British Naturalist himself.

The team was surprised to find the new endemic rodent close to the locality of Boki Mekot, a mountainous area under severe ecological threat due to mining and deforestation.

The species is only known in this locality and is named *Halmaheramys bokimekot*. Project leader Pierre-Henri Fabre from the Center for Macroecology, Evolution and Climate states:

"This new rodent highlights the large amount of unknown biodiversity in this Wallacean region and the importance of its conservation. It constitutes a valuable addition to our knowledge of the Wallacean biodiversity and much remains to be learned about mammalian biodiversity across this region. Zoologists must continue to explore this area in order to discover and describe new species in this highly diverse, but also threatened region."

Halmaheramys bokimekot is a terrestrial spiny rat of medium body size with brownish grey fur on its back and a greyish white belly. Together with its other characteristics it represents a unique set of features that has never been reported before in the Moluccas.

The region that inspired Wallace

It is clear that the region had a profound influence of Wallace's thinking as it was from the Moluccan province of Indonesia that Wallace wrote his famous letter about natural selection and evolutionary theory to Charles Darwin. The two naturalists both published their findings in 1858.

The unique nature of the plants and animals found within the region and the large floral and faunal differences to the neighboring region of Australia, later inspired Wallace to define a zoogeographical boundary dividing the Indonesian archipelago into two distinct parts: a western

portion in which the animals are largely of Asian origin and an eastern portion where the fauna reflect Australasia. This is known as the Wallace line.

New rat reveals a rare migration event

"The *Halmaheramys* discovery supports Wallace's idea of an important faunal breakup in this region. Most of the species on the island of Halmahera reflect eastern origins, but our genetic analysis revealed a western origin of the new rat genus. That reflects the unique transition zone found in the Indo-Pacific, and warrants much greater scientific investigation," says Pierre-Henri Fabre.

Last year he and colleagues from the Center for Macroecology, Evolution and Climate provided an update of Wallace's zoogeographical world map from 1876 based on modern technology such as DNA analysis and hundreds of thousands of species records. The study showed that in spite of lacking modern techniques Wallace's zoogeographical boundaries of the world were remarkably accurately.

"Such a remarkable island setting inspired one of the greatest biologists of all time, and if Sir Alfred Russell Wallace were alive today he would surely be excited by the prospect of further conservation and biodiversity study within the Moluccas," says Pierre-Henri Fabre.

More information: Fabre P.-H., Pagès M., Musser G.G., Fitriana Y.S., Fjeldså J., Jennings A., Jønsson K.A., Kennedy J., Michaux J., Semiadi G., Supriatna N., & Helgen K. (early view) A new genus of rodent from the Wallacea (Rodentia: Muridae: Murinae: Rattini) and its implication for biogeography and Indo-Pacific Rattini systematics. *Zoological Journal of the Linnean Society*, Vol.169(2).

Provided by University of Copenhagen

Citation: New rat genus discovered in the birthplace of the theory of evolution (2013, September 20) retrieved 24 May 2024 from

<https://phys.org/news/2013-09-rat-genus-birthplace-theory-evolution.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.