

## Australia Antarctic mission focuses on penguin poo, warming

October 15 2013

---



Gentoo penguins are seen on the shore of King George Island, Antarctica, on October 28, 2008

Ancient penguin droppings and the impact of global warming on the Antarctic food chain will be the focus of Australia's latest scientific mission to the icy continent which departed Tuesday.

The icebreaker *Aurora Australis* set off from Hobart with a research

team and some 600 tonnes of cargo for its annual mission this Antarctic summer, which typically runs from October through to April.

Researchers from the government's Australian Antarctic Division said they would have two major focuses, exploring the historical feeding habits of Adelie penguins and impacts of ocean acidification on phytoplankton and bacteria, the smallest building blocks of the southern continent's ecosystem.

Seabird expert Barbara Wienecke will lead an archaeological survey of abandoned penguin sites, excavating ancient droppings to determine how their diets have changed over time and what implications that could have for the management of Southern Ocean fisheries.

"We will be digging down into the old soils formed from bird waste and looking for the remains of prey, such as fish ear-bones and squid beaks," said Wienecke.

"It is the first time this type of work has been done in the Davis region and we are hopeful of finding out whether Adelie diets changed in the past, for example, from krill to fish-based diets," she added.

"Gaining this knowledge can help manage Southern Ocean fisheries to avoid disrupting the Antarctic food chain."

A microbial biology team, led by Andrew Davidson, will explore the effects of growing [ocean acidification](#) on microbes, across six 650-litre tanks called "minicosms" which will model different [carbon dioxide concentrations](#).



This NASA Aqua satellite image shows the Western Ross Sea and Ice Shelf in Antarctica, pictured on October 16, 2012

"Microbes are the base of the [marine food web](#), directly or indirectly supporting all life in the Southern Ocean. They also drive the 'biological pump', the process by which marine life transfers CO<sub>2</sub> from the atmosphere to the deep ocean," he said.

"However, the concentration of CO<sub>2</sub> predicted in seawater by the end of this century may dramatically change the composition of these communities by altering food webs—having an impact on iconic Antarctic wildlife such as whales and seals—and reducing the efficiency of the 'biological pump' with consequences for the global climate."

The Aurora Australis resupplies both Australian and foreign bases in

Antarctica during the summer, doing about five restocking runs before the thick sea ice becomes impassable.

Australia has three Antarctic bases—Davis, Casey and Mawson—as well as a sub-Antarctic station at Macquarie Island.

© 2013 AFP

Citation: Australia Antarctic mission focuses on penguin poo, warming (2013, October 15)  
retrieved 26 April 2024 from

<https://phys.org/news/2013-10-australia-antarctic-mission-focuses-penguin.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.