

Chameleon in lab: Looking cooler when heated, thin coating tricks infrared cameras

October 21 2013





A new coating intrinsically conceals its own temperature to thermal cameras. Credit: Mikhail Kats, Harvard SEAS.

(Phys.org) —Active camouflage has taken a step forward at the Harvard School of Engineering and Applied Sciences (SEAS), with a new coating that intrinsically conceals its own temperature to thermal cameras.

In a laboratory test, a team of applied physicists placed the device on a hot plate and watched it through an <u>infrared camera</u> as the <u>temperature</u> rose. Initially, it behaved as expected, giving off more infrared light as the sample was heated: at 60 degrees Celsius it appeared blue-green to the camera; by 70 degrees it was red and yellow. At 74 degrees it turned a deep red—and then something strange happened. The <u>thermal</u> radiation plummeted. At 80 degrees it looked blue, as if it could be 60 degrees, and at 85 it looked even colder. Moreover, the effect was reversible and repeatable, many times over.

These surprising results, published today in the journal *Physical Review X* (an open-access publication of the American Physical Society), illustrate the potential for a new class of engineered materials to contribute to a range of new military and everyday applications.

Principal investigator Federico Capasso, Robert L. Wallace Professor of Applied Physics and Vinton Hayes Senior Research Fellow in Electrical Engineering at Harvard SEAS, predicts that with only small adjustments the coating could be used as a new type of thermal camouflage or as a kind of encrypted beacon to allow soldiers to covertly communicate their locations in the field.

The secret to the technology lies within a very thin film of vanadium oxide, an unusual material that undergoes dramatic electronic changes



when it reaches a particular temperature. At <u>room temperature</u>, for example, pure vanadium oxide is electrically insulating, but at slightly higher temperatures it transitions to a metallic, electrically conductive state. During that transition, the optical properties change, too, which means special temperature-dependent effects—like infrared camouflage—can also be achieved.

The insulator-metal transition has been recognized in vanadium oxide since 1959. However, it is a difficult material to work with: in bulk crystals, the stress of the transition often causes cracks to develop and can shatter the sample. Recent advances in <u>materials</u> synthesis and characterization—especially those by coauthor Shriram Ramanathan, Associate Professor of Materials Science at Harvard SEAS—have allowed the creation of extremely pure samples of thin-film vanadium oxide, enabling a burst of new science and engineering to take off in just the last few years.

"Thanks to these very stable samples that we're getting from Prof. Ramanathan's lab, we now know that if we introduce small changes to the material, we can dramatically change the optical phenomena we observe," explains lead author Mikhail Kats, a graduate student in Capasso's group at Harvard SEAS. "By introducing impurities or defects in a controlled way via processes known as doping, modifying, or straining the material, it is possible to create a wide range of interesting, important, and predictable behaviors."

By doping vanadium oxide with tungsten, for example, the transition temperature can be brought down to room temperature, and the range of temperatures over which the strange thermal radiation effect occurs can be widened. Tailoring the material properties like this, with specific outcomes in mind, may enable engineering to advance in new directions.

The researchers say a vehicle coated in vanadium oxide tiles could



mimic its environment like a chameleon, appearing invisible to an infrared camera with only very slight adjustments to the tiles' actual temperature—a far more efficient system than the approaches in use today.

Tuned differently, the material could become a component of a secret beacon, displaying a particular thermal signature on cue to an infrared surveillance camera. Capasso's team suggests that the material could be engineered to operate at specific wavelengths, enabling simultaneous use by many individually identifiable soldiers.

And, because thermal radiation carries heat, the researchers believe a similar effect could be employed to deliberately speed up or slow down the cooling of structures ranging from houses to satellites.

The Harvard team's most significant contribution is the discovery that nanoscale structures that appear naturally in the transition region of <u>vanadium oxide</u> can be used to provide a special level of tunability, which can be used to suppress thermal radiation as the temperature rises. The researchers refer to such a spontaneously structured material as a "natural, disordered metamaterial."

"To artificially create such a useful three-dimensional structure within a material is extremely difficult," says Capasso. "Here, nature is giving us what we want for free. By taking these natural metamaterials and manipulating them to have all the properties we want, we are opening up a new area of research, a completely new direction of work. We can engineer new devices from the bottom up."

More information: prx.aps.org/abstract/PRX/v3/i4/e041004



Provided by Harvard University

Citation: Chameleon in lab: Looking cooler when heated, thin coating tricks infrared cameras (2013, October 21) retrieved 21 May 2024 from <u>https://phys.org/news/2013-10-chameleon-lab-cooler-thin-coating.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.