

Additive may make wine fine for a longer time

November 21 2013, by Matthew Swayne



Credit: AI-generated image ([disclaimer](#))

An additive may help curb a chemical reaction that causes wine to look, smell and taste funky, according to food scientists.

The researchers added chelation compounds that bind with metals to inhibit [oxidation](#), or oxygen's ability to react with some of the trace

metals that are found in the wine, according to Gal Kreitman, a doctoral candidate in [food science](#), Penn State.

"Oxidation has several bad effects on wine, such as discoloration and a loss of aroma," said Kreitman. "It can cause browning, as well as the loss of fruity characteristics, something that is much more noticeable in white wines."

Oxygen usually enters wine through the cork and interacts with metals, particularly [iron](#), setting off a chain reaction that changes compounds that add particular and often disagreeable tastes and smells to the drink, according to the researchers, who released their findings in a recent issue of the *Journal of Agricultural and Food Chemistry*.

Because two types of oxidations states—iron 2 and iron 3—are present in wine, the researchers looked at iron 2 and iron 3 chelators, including bipyridine, Ferrozine, ethylenediaminetetraacetic acid —EDTA—and phytic acid.

Both types of chelators significantly inhibited the oxidation in the wine, said Kreitman, who worked with Ryan J. Elias, assistant professor of [food](#) science, Penn State; Annegret Cantu, director of research and development at VinPerfect; and Andrew Waterhouse, professor of enology, the University of California Davis.

"The ligands of bipyridine, Ferrozine, EDTA and phytic acid bind to the metals, which can inhibit their reaction," said Kreitman. A ligand is a molecule that is able to bind to the central atom of a [metal](#).

The researchers analyzed the concentrations of iron and copper in white wine and also measured the amount of oxidation that occurred after the chelators were added to the wine samples. The wine was made from pinot gris, a variety of grape that is often used in [white wines](#).

Winemakers have previously attempted to control oxidation in the wine by stripping out the metals, which are acquired through the soil and from the grape. However, Kreitman said those processes are impractical and expensive.

"Unfortunately, the process to remove the metals can strip color and flavor compounds from the wine and processes like ion exchange can end up making the [wine](#) taste more salty," Kreitman said.

Kreitman said that further research would be needed to find chelators that are food safe. While there are chelators that are safe for consumption, many have yet to be approved for food-making and winemaking processes. Phytic acid is one chelator that might be both effective in neutralizing oxidation, as well as safe for consumption, according to Kreitman.

Provided by Pennsylvania State University

Citation: Additive may make wine fine for a longer time (2013, November 21) retrieved 27 April 2024 from <https://phys.org/news/2013-11-additive-wine-fine-longer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--