


## The human touch makes robots defter

November 7 2013, by Bill Steele



Graduate students Ian Lenz, left, and Ashesh Jain with the many-jointed Baxter model robot from Rethink Robotics. In Ashutosh Saxena's Personal Robotics Lab the robot is called "Yogi" because all their robots are named for bears, in honor of Cornell's mascot.

Cornell engineers are helping humans and robots work together to find the best way to do a job, an approach called "coactive learning."

"We give the <u>robot</u> a lot of flexibility in learning," said Ashutosh Saxena, assistant professor of computer science. "We build on our previous work in teaching robots to plan their actions, then the user can give corrective



feedback."

Saxena's research team will report their work at the Neural Information Processing Systems conference in Lake Tahoe, Calif., Dec. 5-8.

Modern industrial robots, like those on automobile assembly lines, have no brains, just memory. An operator programs the robot to move through the desired action; the robot can then repeat the exact same action every time a car goes by.

But off the assembly line, things get complicated: A <u>personal robot</u> working in a home has to handle tomatoes more gently than canned goods. If it needs to pick up and use a sharp kitchen knife, it should be smart enough to keep the blade away from humans.

Saxena's team, led by Ph.D. student Ashesh Jain, set out to teach a robot to work on a supermarket checkout line, modifying a Baxter robot from Rethink Robotics in Boston, designed for <u>assembly line</u> work. It can be programmed by moving its arms through an action, but also offers a mode where a human can make adjustments while anaxctiinis in progress.





With multiple joints, a Baxter robot can move more flexibly than a human, but it would be hard for a human to decide how best to use those arms, so the robot is programmed to plan its own movements, then allow humans to make corrections.


The Baxter's arms have two elbows and a rotating wrist, so it's not always obvious to a human operator how best to move the arms to accomplish a particular task. So the researchers, drawing on previous work, added programming that lets the robot plan its own motions. It displays three possible trajectories on a touch screen where the operator can select the one that looks best.

Then humans can give corrective feedback. As the robot executes its movements, the operator can intervene, guiding the arms to fine-tune the trajectory. The robot has what the researchers call a "zero-G" mode, where the robot's arms hold their position against gravity but allow the operator to move them. The first correction may not be the best one, but it may be slightly better. The learning algorithm the researchers provided allows the robot to learn incrementally, refining its trajectory a little more each time the human operator makes adjustments. Even with weak



but incrementally correct feedback from the user, the robot arrives at an optimal movement.

The robot learns to associate a particular trajectory with each type of object. A quick flip over might be the fastest way to move a cereal box, but that wouldn't work with a carton of eggs. Also, since eggs are fragile, the robot is taught that they shouldn't be lifted far above the counter. Likewise, the robot learns that sharp objects shouldn't be moved in a wide swing; they are held in close, away from people.



As a first step, the robot computes three possible trajectories for moving an object and displays them on a touch screen. After an operator selects one, the root goes through the motions and the operator can make refinements.

In tests with users who were not part of the research team, most users were able to train the robot successfully on a particular task with just five corrective feedbacks. The robots also were able to generalize what



they learned, adjusting when the object, the environment or both were changed.

## Provided by Cornell University

Citation: The human touch makes robots defter (2013, November 7) retrieved 30 April 2024 from <a href="https://phys.org/news/2013-11-human-robots-defter.html">https://phys.org/news/2013-11-human-robots-defter.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.