


New milestone could help magnets end era of computer transistors

November 19 2013



As current passes through a strip of tantalum, electrons with opposite spins separate. Researchers used the resulting polarization to create a nanomagnetic switch that could one day replace computer transistors. Credit: Debanjan Bhowmik, UC Berkeley

(Phys.org) —New work by researchers at UC Berkeley could soon transform the building blocks of modern electronics by making nanomagnetic switches a viable replacement for the conventional transistors found in all computers.

Semiconductor-based [transistors](#), the on-off switches that direct the flow

of electricity and form a computer's nervous system, have been consuming greater chunks of power at increasingly hotter temperatures as processing speeds grow. For more than a decade, researchers have been pursuing magnets as an alternative to transistors because they require far less energy needs when switching. However, until now, the power needed to generate the [magnetic](#) field to orient the magnets so they can easily clock on and off has negated much of the energy savings that would have been gained by moving away from transistors.

UC Berkeley researchers overcame this limitation by exploiting the special properties of the rare, heavy metal tantalum.

In a paper published online Sunday, Nov. 17, in the journal *Nature Nanotechnology*, the researchers describe how they created a so-called Spin Hall effect by using nanomagnets placed on top of tantalum wire and then sending a current through the metal. Electrons in the current will randomly spin in either a clockwise or counterclockwise direction. When the current is sent through tantalum's atomic core, the metal's physical properties naturally sort the electrons to opposing sides based on their direction of spin. This creates the polarization researchers exploited to switch magnets in a logic circuit without the need for a [magnetic field](#).

"This is a breakthrough in the push for low-powered computing," said study principal investigator Sayeef Salahuddin, UC Berkeley assistant professor of electrical engineering and computer sciences. "The power consumption we are seeing is up to 10,000 times lower than state-of-the-art schemes for nanomagnetic computing. Our experiments are the proof of concept that magnets could one day be a realistic replacement for transistors."

More information: "Spin Hall effect clocking of nanomagnetic logic without a magnetic field." Debanjan Bhowmik, Long You, Sayeef Salahuddin. *Nature Nanotechnology* (2013). [DOI](#):

[10.1038/nano.2013.241](https://doi.org/10.1038/nano.2013.241)

Provided by University of California - Berkeley

Citation: New milestone could help magnets end era of computer transistors (2013, November 19) retrieved 29 June 2024 from <https://phys.org/news/2013-11-milestone-magnets-era-transistors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.