

NASA spacecraft begins collecting lunar atmosphere data

November 22 2013



Artist's concept of NASA's Lunar Atmosphere and Dust Environment Explorer (LADEE) spacecraft in orbit above the moon as dust scatters light during the lunar sunset. Credit: NASA Ames / Dana Berry

(Phys.org) —NASA's Lunar Atmosphere and Dust Environment Explorer (LADEE) is ready to begin collecting science data about the moon.

On Nov. 20, the spacecraft successfully entered its planned orbit around the moon's equator—a unique position allowing the small probe to make frequent passes from lunar day to lunar night. This will provide a full



scope of the changes and processes occurring within the moon's tenuous atmosphere.

LADEE now orbits the moon about every two hours at an altitude of eight to 37 miles (12-60 kilometers) above the moon's surface. For about 100 days, the spacecraft will gather detailed information about the structure and composition of the thin <u>lunar atmosphere</u> and determine whether dust is being lofted into the lunar sky.

"A thorough understanding of the characteristics of our lunar neighbor will help researchers understand other small bodies in the solar system, such as asteroids, Mercury, and the moons of outer planets," said Sarah Noble, LADEE program scientist at NASA Headquarters in Washington.

Scientists also will be able to study the conditions in the atmosphere during lunar sunrise and sunset, where previous crewed and robotic missions detected a mysterious glow of rays and streamers reaching high into the lunar sky.

"This is what we've been waiting for – we are already seeing the shape of things to come," said Rick Elphic, LADEE project scientist at NASA's Ames Research Center in Moffett Field, Calif.

On Nov. 20, flight controllers in the LADEE Mission Operations Center at Ames confirmed LADEE performed a crucial burn of its orbit control system to lower the spacecraft into its optimal position to enable science collection. Mission managers will continuously monitor the spacecraft's altitude and make adjustments as necessary.

"Due to the lumpiness of the moon's gravitational field, LADEE's orbit requires significant maintenance activity with maneuvers taking place as often as every three to five days, or as infrequently as once every two weeks," said Butler Hine, LADEE project manager at Ames. "LADEE



will perform regular orbital maintenance maneuvers to keep the spacecraft's altitude within a safe range above the surface that maximizes the science return."

In addition to science instruments, the spacecraft carried the Lunar Laser Communications Demonstration, NASA's first high-data-rate laser communication system. It is designed to enable satellite communication at rates similar to those of high-speed fiber optic networks on Earth. The system was tested successfully during the commissioning phase of the mission, while LADEE was still at a higher altitude.

LADEE was launched Sept. 6 on a U.S. Air Force Minotaur V, an excess ballistic missile converted into a space launch vehicle and operated by Orbital Sciences Corp. of Dulles, Va. LADEE is the first <u>spacecraft</u> designed, developed, built, integrated and tested at Ames. It also was the first probe launched beyond Earth orbit from NASA's Wallops Flight Facility on the Virginia coast.

More information: For more information about the LADEE mission, visit: <u>www.nasa.gov/ladee</u> For more information about Ames, visit: <u>www.nasa.gov/ames</u>

Provided by NASA

Citation: NASA spacecraft begins collecting lunar atmosphere data (2013, November 22) retrieved 3 May 2024 from <u>https://phys.org/news/2013-11-nasa-spacecraft-lunar-atmosphere.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.