

Parasites: Rulers of the Reef

November 20 2013, by Paul Sikkel



"Despite the negative connotation of the word parasite, parasites enjoy the world's most successful lifestyle," says Paul Sikkel. "In fact, parasites account for the majority of inhabitants of coral reefs, which are the world's most diverse ecosystems. To truly understand coral reefs and how they will be impacted by environmental change, we must understand their parasites." Credit: Dan Norton, Coral.org

Because "she" spawns every fourth day, I knew she would spawn today. I rolled out of bed at the chime of my reliable Winnie the Pooh alarm



clock, slid into my wetsuit, grabbed my underwater flashlight, and stumbled into the kitchen at the Bellairs Research Institute in Barbados to make my coffee, proud to be awake even before the roosters announced the onset of dawn.

I kept a close eye on my watch because the time of first light changes each day, and if I arrived in the water even one second late, I would miss her.

A morning tryst

As usual, my arrival at the beach coincided with the ebb of the late night beach parties; dawn breaks too late for the night partiers and too early for most others—but just right for her and me. I swam out along the reef with my flashlight off, enjoying the sight of bright green bioluminescent plankton parties, and patrols of hunting squid and squirrelfish.

Because I had visited this location during so many night-to-dawn transitions, I easily found her home: A section of reef about the size of the jump-ball circle in the middle of a basketball court. But she was out of sight—probably still asleep in one of her territory's caves.

But a few minutes after my arrival, the first hint of sunrise cast just enough light for me to discern her shape as she emerged. Even though her abode was generously coated with delicious turf algae, she skipped breakfast, and quickly and carefully made her way along the reef to the home of her mate. When she arrived there, her mate greeted her with a series of dips and other maneuvers. She then began laying her eggs on a nest he had already prepared for her.

A pair of yellowtail damselfish was thus spawning. Typical of Caribbean damselfish, this pair spawned at dawn. And like all damselfish, the pair spawned in the male's territory.



A damsel's dilemma

To spawn in the male's territory, a female damselfish must leave her own territory. But, unlike a person, a female damselfish cannot prevent home invasions by locking the door behind her or relying on neighbors to watch her home during her absence.

Rather, while a female damselfish is away, her territory is completely undefended and vulnerable to invasions by other fish, including neighbors, who may scout it out for takeovers and steal her food. Therefore, the longer a female is gone, the more she risks losing "the house."

So it might be logical to assume that female damselfish would minimize their spawning time. But in Barbados, I observed the contrary: Female damselfish frequently interrupted their spawning activities to visit cleaning stations near their partners' territories.

A cleaning station is a reef location that harbors cleaning organisms such as gobies and shrimp, which remove other organisms from the bodies of fish. Fish know the locations of these stations and presumably visit them in order to clean their bodies of organisms that are irritating them in some way, similar to the way that ticks or fleas irritate people.

A spawning stopover at a cleaning station lengthens a damselfish's absence from her own territory, and thereby increases its vulnerability to invasions. So, how in the world do female damselfish solve this dilemma and minimize their risk of losing their territories during spawning?

D.L. Kramer of McGill University and I ultimately answered that question in journal article. (Editor's note: The article discusses the females' practice of periodically returning to their homes.) Nevertheless, as is often the case for scientists, while I was working on answering that



question, I discovered new questions that, taunting me, also begged for answers.

For example, in addition to indicating that female damselfish visit cleaning stations on mornings when they spawn, my observations of damselfish in Barbados also indicated they visit cleaning stations (near their own territories) during non-spawning mornings. I wondered, what compels female damselfish to spend so much time during the morning at cleaning stations?

To answer that question, I had to identify what organisms are removed from the damselfish at cleaning stations. My efforts to do so led me to some generous colleagues—including George Benz, Alexandra Grutter, Isabelle Côté and Nico Smit—who introduced me to the wonderful world of gnathiid isopods.

Parasites: Biological champions

Gnathiid isopods are parasites. A parasite is an organism that lives on or inside a host organism without killing it, and is dependent on its host for is survival.





A green gnathiid isopod collected from a fish at Lizard Island Great Barrier Reef. Gnathiids are unusual because they only feed as larvae, and the only thing they eat is blood. Adults don't feed at all. Credit: P. Sikkel, Arkansas State University

Despite the negative connotation of the word "parasite," parasites enjoy the world's most successful lifestyle! In fact, parasites account for the majority of inhabitants of coral reefs, which are the world's most diverse ecosystems. To truly understand coral reefs and how they will be impacted by environmental change, we must understand their parasites.

Gnathiids are particularly unusual parasites because they only feed as larvae, and the only thing that gnathiid larvae eat is blood. Amazingly, adult gnathiids don't feed at all. But in terms of my research, the most important thing about gnathiids is that they serve as the primary food for



cleaner fish.

A three-way relationship

Because of the dependence of cleaner fish on gnathiids, I knew that I needed to learn more about gnathiids in order to better understand the relationship between cleaner fish and damselfish.

I studied gnathiids by placing a group of fish on a section of a reef in little fish hotels (cages), and measuring their gnathiid loads every two hours over a 24-hour cycle. My results revealed that the fish carried the heaviest gnathiid loads at night and at dawn.

These results suggest that when damselfish wake up in the morning, they probably have relatively heavy gnathiid loads. Morning irritation from these loads probably drives the infested damselfish to cleaning stations, where cleaner fish—eager to feast on their favorite food—reduce their gnathiid loads. So to a damselfish, a morning visit to a cleaning fish probably feels much like a morning shower.

Innocent parasite or disease carrier?

These results indicate that gnathiids exert a significant influence on the daily activities of reef fish and are therefore major players in reef ecology.

But gnathiids are also potentially important for other reasons. For example, their land-based counterparts are ticks and mosquitoes, which transmit microorganisms that cause Lyme disease and malaria. Likewise, gnathiids in Australia, South Africa, and Europe appear to transmit various blood-borne parasites.



So after solving the mystery of the damselfish's morning cleanings, and still fascinated by gnathiid, I moved on to a new question: Do the gnathiids of the Caribbean transmit diseases? As you may imagine, hundreds of researchers are currently studying the biology of ticks and mosquitoes, but only a handful are studying the biology of gnathiids. So, the answer is... WDK (we don't know).

Even though the oceans occupy the majority of the planet, scientists know far less about environmental factors that cause disease transmission in oceans than on land. To increase our knowledge of this important topic, the National Science Foundation (NSF) has generously supported my team's efforts to understand the links between changes in Caribbean reef environments and the spread of blood-borne parasites by gnathiids.

A Caribbean treasure hunt

When my research team and I started studying gnathiids, we knew that Caribbean gnathiids infest many types of fish. But we did not know whether all, or even any, gnathiid-infested fish in the Caribbean are infected with blood parasites that cause diseases. If our study revealed that these gnathiid-infested fish were free of blood parasites, it would help exonerate gnathiids as disease-spreaders. But if, on the other hand, our study revealed that some or all of these gnathiid-infested fish were carrying blood parasites, it would implicate gnathiids as possible disease-spreaders.

So the first step of our study was to determine whether gnathiid-infested fish in the Caribbean carry blood parasites. This part of the study was complicated by the fact that blood parasites are notoriously patchy. That is, one location may be teaming with blood parasites, while another location may be completely, or almost, devoid of blood parasites.



This meant that, to cover all of our bases, we had to sample fish from multiple locations. We were on a Caribbean treasure hunt! All told, we collected more than 1,500 fish of varied species from five Caribbean islands.



Even though the oceans occupy the majority of the planet, scientists know far less about environmental factors that cause disease transmission in oceans than on land. Sikkel found evidence that longfin damselfish, such as this one pictured here, are infected by blood parasites, implicating gnathiids as possible disease spreaders. Credit: P. Sikkel, Arkansas State University

Because the parasites we sought reside in...you guessed it...blood, we had to anesthetize each fish (without killing it), draw a little blood from it, and then preserve collected blood on a slide. We then shipped our



samples to my collaborators, Nico Smit in South Africa and Angela Davies in the U.K.—both of whom have years of experience looking for blood parasites in fish, a complicated task.

Taking it to the streets

My hardworking colleagues screened hundreds of slides of blood from Caribbean fish without detecting any blood parasites. I wondered whether we had sampled the wrong species of fish or had sampled the wrong sites.

I was about to leave for a session of Sea and Learn in Saba—a pristine Caribbean island. As a scientist, I appreciate the importance of sharing science and research with non-scientists, so I contribute to the Sea and Learn program, which regularly brings scientists to the island to deliver presentations to the community, conduct workshops with local K-12 students, and involve non-scientists in research.

Just before my departure, I received a game-changing email from Nico. Nico's email said that—Hooray!—one of our slides had tested positive for blood parasites. So, who were the lucky infectees? You guessed it...damselfish. Also included in Nico's email were photographs that I could share with Sea and Learn. Stoked!

Science can take you on a wild roller coaster ride, with thrilling surprises and uncertainty around almost every turn.

The treasure hunt continues

From Saba, I high-tailed it to nearby St. Maarten, which has a particularly large population of damselfish. I am currently the chair of an excellent St. Maarten-based environmental organization called



Environmental Protection in the Caribbean, which helped arrange for me to work with Tadzio Bervoets of the St. Maarten Nature Foundation to collect blood samples from damselfish.

My research team and I are still collecting and analyzing blood samples from damselfish from several Caribbean islands in order to:

- Determine whether parasite-infected damselfish get their parasites from gnathiids;
- Identify the effects of infections of blood parasites on fish;
- Determine the prevalence of blood parasites among Caribbean damselfish.

Our latest results reveal that damselfish from St. Maarten and Saba are infected with blood parasites. We hope that additional sampling will help us determine who is spreading these parasites.

In addition, my research team and I are collecting and analyzing <u>blood</u> <u>samples</u> from various types of Caribbean <u>fish</u> besides damselfish. In doing so, we have discovered many new species of blood parasites that have not yet been scientifically described and named. More grist for future research!

Provided by National Science Foundation

Citation: Parasites: Rulers of the Reef (2013, November 20) retrieved 11 May 2024 from https://phys.org/news/2013-11-parasites-rulers-reef.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.