

UAH research into April 2011 tornadoes uncovers insights

November 21 2013

Research into the violent storms that spawned killer tornadoes across Alabama and the southeastern U.S. in April 2011 continues to uncover insights into what might have caused so many powerful tornadoes, plus information about how we respond to weather news.

Scientists and graduate students from the University of Alabama in Huntsville (UAH) recently presented information about their research at the National Weather Association's annual meeting, this year in Charleston, SC. Among the findings presented were:

- 3-D radar visualization tends to confirm theories that colliding storm cells might enhance the likelihood a tornado will form or strengthen, while larger cells merging with supercell storms may kill off the parent storm cell;
- Waves rolling through the atmosphere like waves across the ocean seemed to both help large storm cells form and to contribute to the formation of tornadoes; and
- While the public in this region seems to have a good general base of knowledge about tornadoes, many people continue to believe some of the common myths about tornado safety.

When storm cells collide

In at least four cases on April 27, 2011, when seemingly insignificant storm cells collided with larger, more powerful cells, either a tornado



formed, an existing tornado intensified, or the original tornado dissipated and was rapidly replaced by another tornado, says Ryan Wade, a doctoral student in UAH's Atmospheric Science Department.

A similar pattern was seen in the March 2, 2012, tornado outbreak in Kentucky and Indiana, as well as in Moore, Okla., on May 20 of this year. "The Moore storm mergers are particularly interesting because of the extreme nature of the damage observed in the town, which has repeatedly been struck by strong to violent tornadoes," said Wade.

Analysis of radar data and damage surveys indicate "the Moore supercell didn't start to produce EF-4 and EF-5 damage until immediately after a band of showers intersected the hook area of the larger supercell," Wade said. "Up until that point, damage surveys indicated EF-2 to EF-3 damage."

Wade said recent studies show "feeder" cells tend to enhance the surge of low-level air that flows away from the storm cell. This surge appears to amplify rotation in the updraft inside the supercell storm.

Learning more about these storm collisions and identifying the types of mergers might help weather forecasters anticipate conditions that lead to the rapid development or intensification of tornadoes, Wade said. "With 3-D radar visualization technology, we can watch these mergers as they develop in real time and determine what impact they may have on tornado formation.

"This work tells us that when we see these storm systems, we have to watch the entire system as it develops instead of focusing just on the largest storm cells."

Riding the waves



Upward motion on the front side of a group of gravity waves moving across Alabama just after mid-day on April 27, 2011, apparently helped kick start a supercell storm that spun off the EF-4 tornado that hit Cullman, says Todd Murphy, a doctoral student in UAH's Atmospheric Science Department.

"Potentially, ducted gravity waves played a role in initiating supercells on April 27 and may have aided in tornado formation," he said. "These waves have areas of vertical spin, or vorticity, which is one of many things that are important to tornadoes and super cells."

The duct in this case was a stable layer of cooler air near the ground with unstable air above it. The stable air gave gravity waves a medium to move through.

"The question we have to answer," said Murphy, "is how much did that matter on a day when environmental conditions were already off the charts for tornadoes?"

Using instruments carried aloft by weather balloons, the National Weather Service could identify conditions favorable to atmospheric ducts twice a day, Murphy said. "If the environment supports waves, you could start looking for them before they start interacting with storm systems."

The real value of this research, however, will be if UAH scientists can study enough cases of gravity wave interactions with storms to both make forecasters aware of <u>gravity waves</u> and give those forecasters enough confidence to issue warnings based on approaching wave-storm collisions.

Did it sound like a freight train?



A survey of people in Alabama and Tennessee found that while they live in an area where tornado activity is frequent, more than half of the people surveyed have neither a <u>storm</u> shelter nor a designated safe area in their homes.

"We interviewed members of the public and weather 'experts' - EMA officials, forecasters at the National Weather Service, TV meteorologists and radio announcers - to determine what kinds of inconsistencies exist between what people know and what experts think the public would know," said Elise Schultz, a research associate in UAH's Earth System Science Center.

Schultz presented preliminary results of a research project headed by Dr. Marita O'Brien in UAH's Department of Psychology. Part of their survey included a list of myths about <u>tornadoes</u> and safety procedures related to them. People were asked whether each statement was true or false, and their confidence in their answer. Some of the statements included:

- The predicted strength of a tornado is accurately described in a tornado warning. (False. More than half of the surveyed adults answered either true or did not know.)
- You are safe from a tornado on the back side of a mountain. (False; only 31 percent got the right answer.)
- If you are out driving, you can take shelter under a highway overpass. (False; almost 30 percent thought this was true.)
- In a tornado warning, you should open the windows if you can. (False; more than 25 percent thought this was true.)

Provided by University of Alabama in Huntsville

Citation: UAH research into April 2011 tornadoes uncovers insights (2013, November 21)



retrieved 23 April 2024 from https://phys.org/news/2013-11-uah-april-tornadoes-uncovers-insights.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.