

## Glowing worms illuminate the roots of behavior

November 14 2013



In research led by Dirk Albrecht, Ph.D., assistant professor of biomedical engineering at Worcester Polytechnic Institute, neurons (marked by arrows) in the tiny worm *Caenorhabditis elegans* (*C. elegans*), a nematode found in many environments around the world, glow as the animals sense attractive odors.



Credit: Dirk Albrecht, Worcester Polytechnic Institute

A research team at Worcester Polytechnic Institute (WPI) and The Rockefeller University in New York has developed a novel system to image brain activity in multiple awake and unconstrained worms. The technology, which makes it possible to study the genetics and neural circuitry associated with animal behavior, can also be used as a highthroughput screening tool for drug development targeting autism, anxiety, depression, schizophrenia, and other brain disorders.

The team details their technology and early results in the paper "Highthroughput imaging of <u>neuronal activity</u> in *Caenorhabditis elegans*," published on-line in advance of print by the journal *Proceedings of the National Academy of Sciences*.

"One of our major objectives is to understand the neural signals that direct behavior—how sensory information is processed through a network of neurons leading to specific decisions and responses," said Dirk Albrecht, PhD, assistant professor of <u>biomedical engineering</u> at WPI and senior author of the paper. Albrecht led the research team both at WPI and at Rockefeller, where he served previously as a postdoctoral researcher in the lab of Cori Bargmann, PhD, a Howard Hughes Medical Institute Investigator and a co-author of the new paper.

To study neuronal activity, Albrecht's lab uses the tiny worm *Caenorhabditis elegans* (*C. elegans*), a nematode found in many environments around the world. A typical adult *C. elegans* is just 1 millimeter long and has 969 cells, of which 302 are neurons. Despite its small size, the worm is a complex organism able to do all of the things animals must do to survive. It can move, eat, mate, and process environmental cues that help it forage for food or react to threats. As a



bonus for researchers, *C. elegans* is transparent. By using various imaging technologies, including optical microscopes, one can literally see into the worm and watch physiological processes in real time.

Numerous studies have been done by "worm labs" around the world exploring various neurological processes in *C. elegans*. These have typically been done using one worm at a time, with the animal's body fixed in place on a slide. In their new paper, Albrecht's team details how they imaged, recorded, and analyzed specific neurons in multiple animals as they wormed their way around a custom-designed microfluidic array, called an arena, where they were exposed to favorable or hostile sensory cues.

Specifically, the team engineered a strain of <u>worms</u> with neurons near the head that would glow when they sensed food odors. In experiments involving up to 23 worms at a time, Albrecht's team infused pulses of attractive or repulsive odors into the arena and watched how the worms reacted. In general, the worms moved towards the positive odors and away from the negative odors, but the behaviors did not always follow this pattern. "We were able to show that the <u>sensory neurons</u> responded to the odors similarly in all the animals, but their behavioral responses differed significantly," Albrecht said. "These animals are genetically identical, and they were raised together in the same environment, so where do their different choices come from?""

In addition to watching the head <u>neurons</u> light up as they picked up odor cues, the new system can trace signaling through "interneurons." These are pathways that connect external sensors to the rest of the network (the "worm brain") and send signals to muscle cells that adjust the worm's movement based on the cues. Numerous <u>brain disorders</u> in people are believed to arise when neural networks malfunction. In some cases the malfunction is dramatic overreaction to a routine stimulus, while in others it is a lack of appropriate reactions to important cues. Since *C*.



*elegans* and humans share many of the same genes, discovering genetic causes for differing neuronal responses in worms could be applicable to human physiology. Experimental compounds designed to modulate the action of nerve cells and neuronal networks could be tested first on worms using Albrecht's new system. The compounds would be infused in the worm arena, along with other stimuli, and the reaction of the worms' nervous systems could be imaged and analyzed.

"The basis of our work is to combine biomedical engineering and neuroscience to answer some of these fundamental questions and hopefully gain insight that would be beneficial for understanding and eventually treating human disorders," Albrecht said.

More information: <a href="http://www.pnas.org/content/early/201...">www.pnas.org/content/early/201...</a> /1318325110.abstract

## Provided by Worcester Polytechnic Institute

Citation: Glowing worms illuminate the roots of behavior (2013, November 14) retrieved 30 April 2024 from <u>https://phys.org/news/2013-11-worms-illuminate-roots-behavior.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.