

China's lunar lander spotted by orbiting spacecraft

December 31 2013, by Jason Major




Image of Chang'e-3 (top arrow) and Yutu rover captured by NASA's Lunar Reconnaissance Orbiter on Dec. 25 UTC. Credit: NASA/GSFC/Arizona State University


Not much on the Moon escapes the eyes of NASA's [Lunar Reconnaissance Orbiter](#), and China's Chang'e-3 lander and Yutu rover are no exception! The pair touched down on the lunar surface on Dec. 14, and just over a week later on Dec. 25 LRO acquired the image above, showing the lander and the 120-kg (265-lb) "Jade Rabbit" rover at their location near the Moon's Sinus Iridum region.

The width of the narrow-angle camera image is 576 meters; north is up. LRO was about 150 km (93 miles) from the Chang'e-3 site when the image was acquired.

So how can we be so sure that those bright little specks are actually human-made robots and not just a couple of basaltic boulders? Find out below:

According to School of Earth and Space Exploration professor Mark Robinson's description on [Arizona State University's LROC blog](#):

"The rover is only about 150 cm wide, yet it shows up in the NAC images for two reasons: the solar panels are very effective at reflecting light so the rover shows up as two bright pixels, and the Sun is setting thus the rover casts a distinct shadow (as does the lander). Since the rover is close to the size of a pixel, how can we be sure we are seeing the rover and not a comparably sized boulder? Fortuitously, the NAC acquired a "before" image of the landing site, with nearly identical lighting, on 30 June 2013. By comparing the before and after landing site images, the LROC team confirmed the position of the lander and rover, and derived accurate map coordinates for the lander (44.1214°N, 340.4884°E, -2640 meters elevation)."



Before-and-after LROC images of Chang'e-3's landing site: June 30 vs. Dec. 25, 2013. Credit: NASA/GSFC/Arizona State University

LRO circles the Moon in a polar orbit at an average altitude of 50 km (31 miles). The LROC instrument contains two narrow-angle camera heads (NACs) providing 0.5-meter/pixel panchromatic images over a 5-km swath, a wide-angle camera head (WAC) providing images at a scale of 100 meters in seven-color bands.

Both the Chang'e-3 [lander](#) and Yutu rover are reported to be in good

health and performing well. The solar-powered [rover](#) went into sleep mode on Dec. 26 to wait out the 14-day lunar night, during which time the temperatures on the [lunar surface](#) can drop to -180°C (-292°F). Yutu's radioisotope heat source will keep it from freezing, but it won't be able to generate power from its solar arrays.

More information: roc.sese.asu.edu/news/index.p...over-From-Above.html

Source: [Universe Today](#)

Citation: China's lunar lander spotted by orbiting spacecraft (2013, December 31) retrieved 28 April 2024 from <https://phys.org/news/2013-12-china-lunar-lander-orbiting-spacecraft.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.