

Drug residues in Swedish sewage water

December 17 2013

Chemists at Umeå University in Sweden have been able to trace narcotics substances and prescription drugs in measurements of wastewater from 33 Swedish sewage treatment plants. Cocaine, amphetamine, and methamphetamine, in measurable concentrations, were found in a total of half of the locations.

When a person consumes a [drug](#) it is excreted through the digestive system, either unchanged or as metabolites through the body and ends up in the wastewater. Through taking a sample of water in [treatment plants](#) and measuring the levels of drugs can provide a snapshot of the drug usage in a particular city.

The method has been used before, both in Sweden and abroad, and is a complement to other methods to estimate drug use in society.

"What is unique about our study is its scope and this is the first time this method has been used to screen the entire country for drugs," says Marcus Östman, who led the study and is a PhD student at the Department of Chemistry at Umeå University. "Previous measurements in Sweden have only applied to single locations and a limited number of [substances](#). In addition, we have developed a faster and more cost-effective measurement to conduct this type of research."

The measurements were performed on one day in January 2012. The concentrations were generally low when compared with similar studies from other European countries.

"The results were quite expected, but the variations between different places and different parts of Sweden was surprisingly large," says Marcus Östman. "For instance, some smaller municipalities had fairly high levels of the dangerous drug [methamphetamine](#). Since we measure using a chemical scale, it is no problem to distinguish methamphetamine from [amphetamine](#)."

The research team found the remains of a total of 13 different narcotic substances in the incoming wastewater of the investigated Swedish treatment plants. The most common substances were used as medicine: oxazepam (anti-anxiety), codeine (painkiller), morphine (pain reliever) and tramadol (analgesic). These substances were found in all treatment plants in the study.

Of the illicit non-[prescription drugs](#) included in the study, the following were detected in the sewage water samples: cocaine (12 locations), amphetamines (13 locations), and methamphetamine (16 locations). Heroin, ecstasy or LSD could not be detected.

The highest level of cocaine and amphetamine were found in Gothenburg, the largest city in the study. The researches then detected a different pattern. Methamphetamine content seemed not to be correlated to the size of the city in any way. The municipality of Köping had the highest concentration of methamphetamine. The smaller municipalities of Bollebygd and Lycksele generally had fewer detected drugs and in lower concentrations compared to other cities.

"Tracking of wastewater is a new effective tool which is interesting from a public health perspective," states Marcus Östman. "It's a much faster way to get an overview of drug use than the classical indirect methods like confiscations at customs and surveys. For example, we might see if a new drug arrived in a city."

The study is published in the journal *Science of the Total Environment*. The co-authors are Jerker Fick, Richard Lindberg and Elin Näsström, researchers at the Department of Chemistry at Umeå University.

Investigated substances and sampling sites in the study:

The following narcotic substances were included in the study: alprazolam, flunitrazepam, midazolam, oxazepam, LSD, ketamine, amphetamine, khat, cocaine, MDA, MDMA, MDEA, MBDB, Mephedrone, methamphetamine, methylphenidate, buprenorphine, codeine, fentanyl, heroin, methadone, morphine, oxycodone, tramadol and zolpidem.

More information: Marcus Östman, Jerker Fick, Elin Näsström, Richard H. Lindberg, A snapshot of illicit drug use in Sweden acquired through sewage water analysis, *Science of The Total Environment*, Volume 472, 15 February 2014, Pages 862-871, ISSN 0048-9697, [dx.doi.org/10.1016/j.scitotenv.2013.11.081](https://doi.org/10.1016/j.scitotenv.2013.11.081).

Provided by Umea University

Citation: Drug residues in Swedish sewage water (2013, December 17) retrieved 20 July 2024 from <https://phys.org/news/2013-12-drug-residues-swedish-sewage.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.