

Europe's rarest orchid rediscovered on 'lost world' volcano in the Azores

December 10 2013



This shows details of the flowers of Hochstetter's Butterfly-orchid, a newly recognized and exceptionally rare orchid recently discovered on the Azorean island of São Jorge. Credit: Richard Bateman

Researchers studying speciation of butterfly orchids on the Azores have been startled to discover that the answer to a long-debated question "Do the islands support one species or two species?" is actually "three species". Hochstetter's Butterfly-orchid, newly recognized following application of a battery of scientific techniques and reveling in a complex taxonomic history worthy of Sherlock Holmes, is arguably Europe's rarest orchid species. Under threat in its mountain-top retreat, the orchid urgently requires conservation recognition.

A lavishly illustrated publication, titled "Systematic revision of *Platanthera* in the Azorean archipelago: not one but three [species](#), including arguably Europe's rarest orchid", was published today in the peer-reviewed open-access journal *PeerJ*.

The research team, led by independent botanist Prof. Richard Bateman in collaboration with local botanist Dr. Mónica Moura (University of the Azores) and plant morphologist Dr. Paula Rudall (of the Royal Botanic Gardens Kew), originally viewed these butterfly-orchids as a simple, tractable system ideal for studying the origin of species and so they initiated a focused exploration of all nine Azorean islands.

A combination of field and laboratory research soon showed that butterfly-orchids first colonized the Azores from the Mediterranean rather than from North America, rapidly undergoing miniaturization of their ancestrally large flowers. It proved easy to distinguish the widespread Short-spurred Butterfly-orchid (*Platanthera pollostantha*) from the rarer Narrow-lipped Butterfly-orchid (*P. micrantha*) using morphology, DNA sequences, and the identities of mycorrhizal fungi associated with the roots of the orchids. However, this 'simple' study was thrown into disarray when Dr. Moura explored remote dwarfed laurisilva forests along the highest volcanic ridge on the central island of São Jorge and found an unusual population of butterfly [orchids](#).

"I immediately recognised the flowers as being exceptionally large for an Azorean butterfly-orchid," said Moura" and e-mailed images to Richard Bateman for confirmation that they were new to science". Data gathered subsequently in the laboratory using several analytical techniques all pointed to the discovery of a new species, and suggested that the species – named *Platanthera azorica* in the *PeerJ* paper – originated relatively recently by a remarkable restoration of the large-flowered morphology of its presumed mainland ancestor.



This is a view eastward along the spine of the Azorean island of São Jorge, showing the area where the new orchid has been discovered. Credit: Rob Poot.

Bateman then realised that this "new" orchid had in fact been illustrated (but never correctly identified as a new species) in the first ever Flora of the islands, published in 1844, but thereafter had consistently been confused with other more frequent Azorean species. The illustrated specimen, deposited in the herbarium at Tübingen by German botanist

Karl Hochstetter, was collected during his tour of six of the nine Azorean islands in 1838. However, as Hochstetter did not visit São Jorge (where *P. azorica* was most recently 're-discovered') it is entirely possible that the population he originally described may remain to be discovered on another Azorean island.

In the meantime, the team are anxious to obtain conservation protection for the newly-recognized and exceptionally rare orchid. "This remarkable species languished unrecognized for 173 years," commented Bateman. "It's rediscovery and recognition beautifully illustrate the value of integrating field-based and laboratory-based approaches to generate a modern monograph. This methodology both demonstrates that the species is genuine and allows us to make informed recommendations for its future conservation."

More information: Bateman R, Rudall PJ, Moura M. (2013) Systematic revision of *Platanthera* in the Azorean archipelago: not one but three species, including arguably Europe's rarest orchid. *PeerJ* 1:e218 [dx.doi.org/10.7717/peerj.218](https://doi.org/10.7717/peerj.218)

Provided by PeerJ

Citation: Europe's rarest orchid rediscovered on 'lost world' volcano in the Azores (2013, December 10) retrieved 2 May 2024 from <https://phys.org/news/2013-12-europe-rarest-orchid-rediscovered-lost.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.