


Hubble discovers water vapor venting from Jupiter's moon Europa

December 12 2013



This artist's impression shows Jupiter and its moon Europa using actual Jupiter and Europa images in visible light. The Hubble ultraviolet images showing the faint emission from the water vapour plumes have been superimposed, respecting the size but not the brightness of the plumes. Credit: NASA, ESA, and M. Kornmesser. *Science* Credit: NASA, ESA, L. Roth (Southwest Research Institute and University of Cologne, Germany), J. Saur (University of Cologne, Germany), K. Retherford (Southwest Research Institute), D. Strobel and P. Feldman (Johns Hopkins University), M. McGrath (Marshall Space Flight Center), and F. Nimmo (University of California, Santa Cruz)



The NASA/ESA Hubble Space Telescope has discovered water vapour erupting from the frigid surface of Jupiter's moon Europa, in one or more localised plumes near its south pole.


Europa is already thought to harbour a liquid ocean beneath its icy crust, making the moon one of the main targets in the search for habitable worlds away from Earth. This new finding is the first observational evidence of <u>water vapour</u> being ejected off the moon's surface.

"The discovery that <u>water</u> vapour is ejected near the south pole strengthens Europa's position as the top candidate for potential habitability," said lead author Lorenz Roth of the Southwest Research Institute in San Antonio, Texas. "However, we do not know yet if these plumes are connected to subsurface liquid water or not." The Hubble findings will be published in the 12 December online issue of *Science Express*, and are being reported today at the meeting of the American Geophysical Union in San Francisco, California, USA.

The Hubble discovery makes Europa only the second moon in the Solar System known to have water vapour plumes. In 2005, plumes of water vapour and dust were detected by NASA's Cassini orbiter spewing off the surface of the Saturnian moon Enceladus.

The Europa plumes were discovered by Hubble observations in December 2012. The Space Telescope Imaging Spectrograph (STIS) detected faint ultraviolet light from an aurora at the moon's south pole. This aurora is driven by Jupiter's intense magnetic field, which causes particles to reach such high speeds that they can split the water molecules in the plume when they hit them, resulting in oxygen and hydrogen ions which leave their telltale imprint in the colours of the aurora.





This graphic shows the location of water vapor detected over Europa's south pole that provides the first strong evidence of water plumes erupting off Europa's surface, in observations taken by NASA's Hubble Space Telescope in December 2012. Hubble didn't photograph plumes, but spectroscopically detected auroral emissions from oxygen and hydrogen. The aurora is powered by Jupiter's magnetic field. This is only the second moon in the solar system found ejecting water vapor from the frigid surface. The image of Europa is derived from a global surface map generated from combined NASA Voyager and Galileo space probe observations. Credit: NASA, ESA, and L. Roth (Southwest Research Institute and University of Cologne, Germany)



So far, only water vapour has been detected—unlike the plumes on Enceladus, which also contain ice and dust particles.

"We pushed Hubble to its limits to see this very faint emission," said colead author and principal investigator of the Hubble observing campaign Joachim Saur of the University of Cologne, Germany. "Only after a particular camera on the Hubble Space Telescope had been repaired on the last servicing mission by the Space Shuttle did we gain the sensitivity to really search for these plumes."

Roth suggests long cracks on Europa's surface, known as linea, might be venting water vapour into space. Similar fissures have been photographed near Enceladus's <u>south pole</u> by the Cassini spacecraft. It is unknown how deep inside Europa's crust the source of the water may be. Roth asks, "Do the vents extend down to a <u>subsurface ocean</u> or are the ejecta simply from warmed ice caused by friction stresses near the surface?"

Also like Enceladus, the Hubble team found that the intensity of the plumes varies with Europa's orbital position. Active geysers have only been seen when the moon is furthest from Jupiter. But the researchers could not detect any sign of venting when Europa is closer to Jupiter.

One explanation is that the long fractures in the ice crust experience more stress as gravitational tidal forces push and pull on the moon and so open vents at larger distances from Jupiter. The vents are narrowed or closed when at closest approach to the gas giant planet. Team member Kurt Retherford, also of the Southwest Research Institute, points out that "the plume variability supports a key prediction that we should see this kind of tidal effect if there is a subsurface ocean on Europa".

Future space probe missions to Europa could confirm that the exact locations and sizes of vents and determine whether they connect to liquid



subsurface reservoirs. It is important news for missions such as <u>ESA's</u> <u>JUpiter ICy moons Explorer</u>, a mission planned for launch in 2022, and which aims to explore both Jupiter and three of its largest moons: Ganymede, Callisto, and Europa.

More information: *Science* paper "Transient Water Vapor at Europa's South Pole": <u>www.spacetelescope.org/static/ ... papers/heic1322a.pdf</u>

Provided by ESA/Hubble Information Centre

Citation: Hubble discovers water vapor venting from Jupiter's moon Europa (2013, December 12) retrieved 2 May 2024 from <u>https://phys.org/news/2013-12-hubble-vapor-venting-jupiter-moon.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.