

December 5 2013

## **Researchers demonstrate infrared light modulation with graphene**



Phase and amplitude modulation of light by a single sheet of graphene. Credit: (US Naval Research Laboratory)

- Research scientists at the U.S. Naval Research Laboratory (NRL) Electronics Science and Technology Division in collaboration with researchers at University at Buffalo-The State University of New York (SUNY) demonstrate the possibility for new optical devices using graphene for communications, imaging and signal processing.

NRL research in the development of future optoelectronic devices demonstrates infrared light modulation with <u>graphene</u> with the impact



for high-speed phase and amplitude modulators from the mid-infrared to terahertz (THz) wavelengths. The results of this work open the possibility for new optical devices using graphene for communications, imaging and <u>signal processing</u>.

"The realization of a tunable graphene polarizer has the potential to greatly enhance current infrared polarization modulation devices that are crucial to molecular sensing and identification, also playing a key role in infrared free space communications," said Dr. Joseph Tischler, research physicist, NRL Solid Sate Devices Branch.

Although graphene has generated considerable interest since its discovery due to its remarkable properties that led to the Nobel Prize in Physics in 2010, one of its properties has been overseen. Electrons in graphene—in the presence of a <u>magnetic field</u>—can strongly change light intensity (<u>amplitude modulation</u>) or rotate the light polarization (phase modulation).

Electrons in graphene rotate in quantized circular orbits under a magnetic field in the so-called Landau Levels. Light will excite these electrons from one orbit to another and the electrons, behaving as if they are moving at the speed of light, will re-emit this light with a different amplitude and/or polarization.

"Although we have controlled this effect with an external magnetic field, the same can be done by changing the amount of electrons with a gate and keeping the magnetic field constant. This would allow for fast modulation, possibly reaching terahertz speeds," added Dr. Chase Ellis, National Research Council postdoctoral, NRL Solid State Devices Branch.

Aside from the technological impact of this work, the group has developed a non-invasive, ultrasensitive 'fingerprinting' tool. This tool



allows for the use of new analysis techniques.and identification and characterization of different graphene multilayers by measuring the polarization of reflected <u>light</u> from graphene in a magnetic field, even if they are covering up one another.

This work successfully tested three different theories predicting rich properties for single and multilayer graphene and determined important parameters characterizing multilayer graphene, some of which had never been measured before.

Provided by Naval Research Laboratory

Citation: Researchers demonstrate infrared light modulation with graphene (2013, December 5) retrieved 12 September 2024 from https://phys.org/news/2013-12-infrared-modulation-graphene.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.